



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

### Notice Inviting Tender (NIT)

#### Index for Tender Form

Sl. No.	Items	:	Details
1.	Tender Notice No & Date	:	CUSB/PSD/G.House/TENDER/26/2018-19, Dated 01/03/2019.
2.	Name of the Work	:	Supply & Installation of <b>“Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)”</b> .
3.	Earnest Money Deposit	:	Earnest Money Deposit (EMD) of Rs. 3,00,000/- in shape of Demand Draft/ FDR drawn in favour of Central University of South Bihar, payable at Gaya from any scheduled bank.
4.	Pre-bid meeting	:	12/03/2019 from 03:00 PM onwards at University Panchanpur campus at Gaya.
5.	Start of submission of bids	:	13/03/2019
6.	Last date and time for submission of bids	:	25/03/2019 by 4:00 PM
7.	Date and Time of opening of Technical Bid	:	25/03/2019 by 4:15 PM
8.	Date and Time of opening of Financial Bid	:	Shall be published on University website ( <a href="http://www.cusb.ac.in">www.cusb.ac.in</a> )
9.	Place of opening of bids	:	Purchase section, Upper Ground Floor, Administrative Building, CUSB, Panchanpur, Gaya



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

Tender Notice No & Date: CUSB/PSD/G.House/TENDER/26/2018-19, Dated 01/03/2019.

### NOTICE INVITING BIDS

The Central University of South Bihar invites sealed tenders for the Supply & Installation of **“Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)”** from original manufacturers/ authorized dealers/ distributors. The last date and time of submission of tender document is **25/03/2019 by 4:00 PM**. The detailed tender document is available on the University website [www.cusb.ac.in](http://www.cusb.ac.in). The tender forms may be downloaded from University website and be accompanied by DD of Rs. 500/- (as tender fee) in favour of Central University of South Bihar, payable at Gaya.

Supply & Installation **“Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)”**

#### Technical Bid

**Note:** This is to be kept in **Envelope “B”** sealed and it should be written on envelop that **Tender for the Supply & Installation of “Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)”**.

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

### NOTICE INVITING BIDS

Tender Notice No & Date: CUSB/PSD/G.House/TENDER/...../2018-19, Dated 01/03/2019.

The Central University of South Bihar (CUSB), invites sealed tender in two bid system for the Supply & Installation **“Furniture in proposed Guest House Building and multi-purpose hall of CUSB at Panchanpur, Gaya (Bihar)”** from the original manufacturers/authorized dealers/ distributors. Details are as follows:

Sl. No	Description of Goods	Estimated Cost including GST (Rs.)	Earnest Money to be Deposited	Last date & time of submission of Tender document	Time allowed for completion of project
1.	Supply & Installation of <b>“Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)”</b>	165 Lakhs	3.00 Lakhs	25/03/2018 by 4:00 PM	60 days after issue of Letter of Award

2. The tender document must be accompanied by a Demand Draft for the amount mentioned in Annexure “A” in Indian Rupees only, on a schedule bank drawn in favour of Central University of South Bihar, payable at Gaya as Earnest Money for the above tender.

3. Eligibility Criteria (details to be submitted in Annexure “B”)

#### 3.a. Physical

Similar works/ supplies and installation in Central Government/ State Government/ PSU/ Universities/ Reputed Higher Educational Institutions for not less than 56 beds in Hostel/ Guest House of one work, 42 beds of two works and 28 beds of three works in the last

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

3 years ending on F.Y. 2018-19 . Similar works is defined as Supply & Installation of  
“Wooden Furniture”.

### 3.b. Financial

The firm should have average annual financial turnover of at least Rs. 150 Lakhs during the preceding last 3 consecutive financial years. Audited balance sheet for FY. 2017-18, 2016-17 & 2015-16. The Firm should have completed One similar work of ₹ 132 Lakhs or Two similar work of ₹ 99 Lakhs or Three similar work of ₹ 66 Lakhs.

4. Sealed tender documents duly signed on all pages are required to be delivered at Central University of South Bihar, by Registered Post/ Speed Post/By Hand (to be submitted in Tender Box) to reach on or before **25/03/2019 by 4:00 PM**. The Technical Bids will be opened at CUSB, Gaya. The Tenderers or their authorized representatives may attend the opening of Technical and Financial Bid. The date of opening of the Financial Bids shall be published on University website ([www.cusb.ac.in](http://www.cusb.ac.in)) . If the University happens to be closed on the date of receipt of the bids or opening of bids as specified in the tender document, the bids will be received and opened on the next day of opening of the office on the same time and venue.
5. The Tenderer shall quote for the materials to be supplied as per detailed specifications as given in the tender document and strictly in accordance with relevant IS codes and CPWD specifications.
6. For any clarification and doubt related with the tender, Tenderers should email their queries to registrar@cub.ac.in on or before 11/03/2019
7. The tender shall be submitted in three separately sealed envelopes marked as “A”, “B”, & “C”. The language used shall be English. In case any information is given in foreign language, then translated (in English) copies of those pages must be enclosed, failing which the tender will be disqualified.

### 8. ENVELOPE “A” (Earnest Money & Tender Cost)

The tender shall be accompanied by the cost of the tender document for Rs.500/- (Indian Rupees Five Hundred Only) in the form of Demand Draft failing which the tender will not be accepted. Tender must also be accompanied by Earnest Money as mentioned above in the form of Demand Draft in favour of Central University of South Bihar, payable at Gaya executed by any Scheduled Bank. The Demand Draft towards Earnest Money & cost of tender.

### 9. ENVELOPE “B” (Technical Bid Document)

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

9.i. Those Tenderers, who are not the manufacturer but are authorized by the original manufacturer to supply the goods, should establish their credentials by giving valid documentary evidences of similar supplies to have been executed in India.

### 9.ii. Checklist for Envelope "B"

9.ii.a. Copy of registration of GST.

9.ii.b. Copy of Trade License, Factory License/Excise Registration

9.ii.c. Copy of Income Tax Permanent Account Number

9.ii.d. Copy of Memorandum and Article of Association, Certificate of Incorporation, Partnership Deed, Registration Certificate issued by the Registrar of Firms etc.

9.ii.e. Copy of Authorization for Participation in subject bid (not required in case of Proprietorship firm).

9.ii.f. Authorization certificate from the Original Equipment Manufacturer (OEM).

9.ii.g. All pages of tender document including various sections and Annexure-A, except priced bid to be submitted in sealed Envelope-"B".

9.ii.h. Technical Catalogue of quoted product should be attached with the technical bid and same should be available on OEM website. Non-compliance shall result in rejection of tender.

### 10. Envelope "C" (Financial Bid Document)

10.1. The **Envelope "C"** shall contain the tender documents and information related to the schedule of quantities quoting the rates per Unit/Price etc. of the item pertaining to the Financial Bid on the Financial Bid document, issued by CUSB, along with the tender document.

10.2. All columns shall be duly filled in with specific information on the cost involved

10.3. The rates for the items shall be quoted in Indian Rupees.

**\*NOTE** The Tenderer should clearly mention in all the three envelopes (i.e. A, B and C) clear description of the items for which the offer is being quoted. If any discrepancy is observed the offer would be treated as non-responsive and would be rejected out rightly.

11. • **Envelope "A"** (Earnest Money & Tender Cost),  
• **Envelope "B"** (Technical Bid Document), and  
• **Envelope "C"** (Financial Bid Document), shall be in separate sealed envelopes, each marked as "**Envelope "A"**", "**Envelope "B"**" and "**Envelope "C"**", respectively.

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

- All the three envelopes shall be submitted together in another big envelope sealed and super-scribing thereon **Tender for Supply & Installation of “Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)”**.
  - The envelope should be addressed to, The Registrar, Central University of South, SH-7, Gaya - Panchanpur Road, Village - Karhara, Post- Fatehpur, P.S. Tekari, District - Gaya (Bihar) PIN - 824236.
  - The envelope marked “**Envelope-B**” of only those Tenderers shall be opened, whose earnest money & tender cost are placed in the “**Envelope “A**” and found to be in order.
12. The Tender Evaluation Committee will evaluate the Technical Bids and is fully authorized to reject any incomplete tender or on its satisfaction that the requirements are not met as per the technical specification as mentioned in this tender document. The decision of the Tender Evaluation Committee shall be final. Only those Technical Bids declared qualified by the Tender Evaluation Committee shall be eligible for consideration of Price Bid. Those successful Tenderers for whom the **Envelope “C”** (Price Bid) is to be opened shall be duly intimated.
13. **Clarification on Tender Documents.**
- 13.1. During evaluation of tenders, the University authorities/ committee may at its discretion ask the Tenderer for any clarification(s) if so deemed fit. The request for clarification and the response shall be in writing. However, the Tenderer is not permitted to alter the price(s) furnished in the Price Bid (**Envelope “C”**).
- 13.2. Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price (i.e. obtained by multiplying the unit price and quality), the unit price shall prevail and the total price shall be corrected. If the supplier does not accept the correction of errors, its tender will be rejected. If there is a discrepancy between words and figures, the amount in words will prevail.
14. The amount of Earnest Money Deposit (EMD), in case of successful Tenderer, shall be refunded on successful completion of delivery/installation. However, EMD of unsuccessful Tenderers will be refunded after the award of the contract to the successful Tenderer.
15. The CUSB, does not bind itself to accept the lowest or any other tender, and reserves the authority to reject any or all the tenders received without assigning any reason. Tenders not in compliance with any of the prescribed conditions or incomplete in any respect or in presence of any correction not duly dated, initialed by the

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

Tenderer will be liable to be rejected. However, the final decision for accepting or rejecting any or all tenders will be in the sole discretion of Vice Chancellor, CUSB.

16. Tenderer may be required to provide a sample of the quoted product/solution if asked for technical evaluation within a notice of 2/3 days. Further, shop drawings of all the items covered under scope of work and Bill of Quantity to be prepared by vendor in accordance with space planning of House building and should be submitted to the University before start of manufacturing of items. The time required for site visit, preparation and approval of shop drawing and costing involved is deemed to be included in completion time and quoted rates. Nothing extra shall be paid on account of above. The University reserves the right to ask for minor changes in specification in the interest of work and overall requirement based on operational need and tenderer shall be required to incorporate the said changes without any additional cost.
17. Tender shall remain open for acceptance for a period of 90 days from the date of opening of the tenders. If any Tenderer withdraws his tender before the said period or makes any modifications in the terms and conditions of the tender which are not acceptable to CUSB, then CUSB, shall without any prejudice to any other right or remedy, be at liberty to forfeit full earnest money, absolutely. The decision of Vice Chancellor, CUSB in this behalf shall be final and binding on the Tenderer.
18. The notice Inviting tender shall form a part of the contract document.
19. No additional conditions from the Tenderer shall be acceptable. The tenders having any additional conditions will be summarily rejected without assigning any reason

Date:

Place:

Signature of the Tenderer

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

### TECHNICAL BID

Please supply the following information along with documentary evidence wherever possible. However, if the space provided for any entry is insufficient, please give information on additional sheets as appendices, and give the number of appendices at the appropriate place. All appendices must be signed.

1. Name of the Manufacturer/ Authorized Dealer (supplier)/ Distributor :
  
2. (a) Complete Correspondence Address :  
Telephone No. of the company :  
Fax No. of the company :  
Email address of the company :  
Website address, if any :
  
- (b) Name & Designation of the Contact person(s):  
Address :  
Telephone No. :  
Fax No. :
  
3. (a) Number & Date of Registration of the manufacturer with the Govt. (if any):  
(b) Income Tax Account No.:  
(c) ISO Certification? If Yes, give details:  
(d) GST No.  
(e) Does the Bidder have certification from any other Internationally recognized body of certification? If yes, give details.  
(f) Turn-over of last three financial years, 2017-18, 2016-17, 2015-16 (attach proof)  
(g) Any other information

Signature & seal of Tenderer





## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

4. Profile and detailed Set-up of the Bidder: (Attach also the brochure, booklet etc. of the company, if available).
5. Give the details of major clients handled by the Bidder (currently in hand or handled in the recent past) in the following format (documentary evidence of major contracts/supplies must be annexed)

Sl. No.	Client details with address, Tel., Fax, e-mail	Amount of supply of Wooden Furniture	Date of supply & completion/ commissioning of work
1.			
2.			
3.			
4.			
5.			

### GENERAL CONDITION OF PURCHASE

#### 1. Definitions

- 1.1. In this Purchase, the following terms shall be interpreted as indicated.
  - (a) "The Order" means the agreement entered into between the Purchaser and the Supplier including all the attachments and appendices and all documents incorporated as per notification of award.

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

- (b) The Purchase Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligation;
  - (c) "The Goods" means all the items, which the Supplier is required to supply to the Purchaser under the Contract;
  - (d) "Services" means services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services training and other obligations of the Supplier covered under the Contract
  - (e) "GCP" means the General Conditions of Purchase contained in this section
  - (f) The Purchaser" means the organization purchasing the Goods i.e **CENTRAL UNIVERSITY OF SOUTH BIHAR, GAYA.**
  - (g) "The Purchaser's country" is India.
  - (h) "The Supplier" means the individual or firm supplying the Goods and Services.
  - (i) "Day" means calendar day.
2. **Application** - These General Conditions shall apply to the extent that they are not superseded by provisions in other parts of the tender.
3. **Standards** - The Goods supplied under this Purchase/ contract shall conform to the standards mentioned in the Technical Specifications, relevant IS Codes, CPWD specification and when no applicable standard is mentioned, to the authoritative standard appropriate to the Goods' country of origin and such standards shall be the latest issued by the concerned Institution.
4. **Use of Purchase Documents and Information**
- 4.1 The Supplier shall not, without the Purchaser's prior written consent, disclose the Purchase, or any provision thereof, or any specification, plan, drawing, pattern, sample or information furnished by or on behalf of the Purchaser in connection therewith, to any person other than a person employed by the Supplier in performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 4.2 The Supplier shall not, without the Purchaser's prior written consent, make use of any document or information except for purposes of performing the Contract.
- 4.3 Any document, other than the Contract itself, shall remain the property of the Purchaser and shall be returned (in all copies) to the Purchaser on completion of the Supplier's performance under the Contract if so required by the Purchaser.
5. **Patent Rights** - The Supplier shall indemnify the Purchaser against all third-party claims of infringement of patent, trademark or industrial design rights arising from use of the Goods or any part thereof in India.

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

**6. Submission of the bids** - All bids complete in all respect must reach the purchaser within the last date and time of receipt of bid. No extension shall be allowed for any reason what so ever. Late tenders/delayed bids and tenders received without earnest money etc. shall be rejected.

### **7. Inspections and Tests**

**7.1.** The Purchaser or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Purchaser. Factory inspection may be carried out by the University before supply of material.

**7.2.** The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery and/or at the Goods final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data shall be furnished to the inspectors at no charge to the Purchaser.

**7.3.** Should any inspected or tested Goods fail to conform to the specifications, the Purchaser may reject the goods and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Purchaser.

**7.4.** The Purchaser's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival at Project Site shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by the Purchaser or its representative prior to the Goods shipment.

**7.5.** Nothing in GCP Clause 7 shall in any way release the Supplier from any warranty or other obligations under this Contract.

### **8. Consequences of rejection**

**8.1.** If in the event the stores are rejected by the purchaser at the destination and the supplier fails to make satisfactory supplies within the stipulated period of delivery, the purchaser will be at liberty to:

- (a)** Allow the supplier to resubmit the stores in replacement of those rejected, within a specified time without any extra cost to the purchaser or
- (b)** Reject the material, which shall be final and binding on the contractor.
- (c)** Procure the rejected materials of comparable quality from the open market/Govt. stores and the supplier shall be liable to pay the difference in price over the RC

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

prices or get the amount adjusted from the outstanding bills of the supplier, if any or EMD.

### 9. Packing

- 9.1. The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2. The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be provided for in the Contract including additional requirements, in any subsequent instructions ordered by the Purchaser.

### 10. Delivery and Documents

- 10.1. The Supplier shall make delivery of the Goods within specified period from the placement of purchase order in pursuance of the notification of award. The purchase order would be placed after assessing the requirements on quarterly basis. However, the supplier shall also arrange to execute all orders on priority basis which would be placed to meet any emergent requirements.
- 10.2. In case the purchaser decides to conclude parallel rate contracts, then the requirements would be split on different firms on equitable basis as per the discretion of the purchase
- 10.3. The delivery of Stores shall be affected at the premises of the University free of all delivery charges and within the stipulated time and as may be elucidated in the confirmed order, accompanied by a delivery challan. No extension of time for delivery of Stores shall normally be accorded.

**Schedule of delivery:** - The time for and the date of delivery of the stores is the essence of the contract and the delivery & installation must be completed within 60 days from the date of issuance of letter of Award.

11. **Insurance** - The Goods supplied under the Contract shall be fully insured in Indian Rupees against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery. The insurance shall be obtained by the suppliers in an amount equal to 110% of the value of the goods from "warehouse to warehouse" (final destinations) on "all risks" basis including war risks and strikes.

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

12. **Transportation** - Where the Supplier is required under the Contract to transport the Goods within India defined as Project site, transport to such place of destination in India including insurance, as shall be specified in the Contract, shall be arranged by the Supplier, and the related cost shall be included in the contract Price.
13. **Warranty**
  - 13.1. The Supplier warrants that the Goods supplied under this Contract are new, unused, of the most recent or current models and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect arising from design, materials or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in India.
  - 13.2. This warranty shall remain valid for 12 months after the Goods or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, unless specified otherwise.
  - 13.3. The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty.
  - 13.4. Upon receipt of such notice, the Supplier shall with all reasonable speed, repair or replace the defective Goods or parts thereof, without any extra cost to the Purchaser.
  - 13.5. If the Supplier, having been notified, fails to remedy the defect(s) within a reasonable period, the Purchaser may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.
14. **Payment** -The payment will be released as per below milestones: 50 % of contract value along with all GST will be released against delivery and inspection of material as per Letter of Award (LOA) on site, only after submission of PBG of 10% (PBG with validity of 15 months) of Basic Contract Value. Balance 50% of payments will be released after Installation and handing over. Running account payment may be released after consignment as per above milestone and satisfaction of the Officer-In-charge.
15. **Prices** - Prices charged by the Supplier for Goods delivered and Services performed under this Purchase shall be the final and no any variations will be considered.
16. **Change Orders**
  - 16.1. The Purchaser may at any time, by written order given to the Supplier, make changes within the general scope of the Contract if required, in any one or more of the following:

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

- (a) Drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser
- (b) The method of shipping or packing.
- (c) The place of delivery; and/or
- (d) The services to be provided by the Supplier

**16.2.** If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Purchaser's change order

**17. Contract Amendments** - Subject to GCP Clause 16, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

**18. Assignment** - The Supplier shall not assign, in whole or in part, its obligations to perform under the Contract, except with the Purchaser's prior written consent

**19. Subcontracts** - The Supplier shall notify the Purchaser in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in his original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.

### **20. Delays in the Supplier's Performance**

**20.1.** Delivery of the Goods and performance of the Services shall be made by the Supplier in accordance with the time schedule specified by the Purchaser as per GCP clause 10.

**20.2.** If at any time during performance of the Contract, the Supplier or its sub-contractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may, at its discretion, extend the Supplier's time for performance with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of the Contract.

**20.3.** Except as provided under GCP Clause 23, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of penalty pursuant to GCP Clause 21, unless an extension of time is agreed upon pursuant to GCC Clause 20.2 without the application of liquidated damages.

### **21. Penalty**

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

**21.1.** Subject to GCP Clause 23, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Purchaser shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as penalty, a sum equivalent to 1% per week and the maximum deduction is 10% of contract price of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance. Once the maximum is reached, the Purchaser may consider Maximum down time for any equipment allowed shall be 4 days from the date of report sent to vendor. Vendor should make equipment good within above 4 days' time (including holidays). In event of non- rectification of equipment within above time- period, same shall attract penalty at the rate of Rs.500 per equipment up to the maximum cost of that equipment along with accessories as quoted by the vendor and same shall be deposited by vendor to CUSB within 30 days of such notification. In event of failure of vendor to rectify such defect, CUSB shall have all rights to get the new equipment procured from some other vendor at the risk and the cost of Tenderer/bidder and claims in this regard shall be entertained. In case the Tenderer fails to carry out the said repairs/replacements/ removal of the defects within the stipulated time, the Central University of South Bihar shall get the Bank Guarantee encash and forfeit the amount.

## **22. Termination for Default**

- 22.1.** The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part
- (a)** If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the purchase order, or within any extension thereof granted by the Purchaser pursuant to GCP Clause 20; or
  - (b)** If the Supplier fails to perform any other obligation(s) under the Contract.
  - (c)** If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract

### **For the purpose of this Clause**

"Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

Fraudulent practice: a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;"

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

- 22.2.** In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 22.1, the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.
- 23. Force Majeure**
- 23.1.** Notwithstanding the provisions of GCP Clauses 20 & 21, the Supplier shall not be liable for imposition of liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- 23.2.** For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 23.3.** If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 24. Termination for Insolvency** - The Purchaser may at any time terminate the Contract by giving written notice to the Supplier, if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the Purchaser.
- 25. Termination for Convenience**
- 25.1.** The Purchaser, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- 25.2.** The Goods that are complete and ready for shipment within 30 days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices.
- 26. Resolution of Disputes**

Signature & seal of Tenderer





## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

- 26.1. The Purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- 26.2. If, after thirty (30) days from the commencement of such informal negotiations, the Purchaser and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms as specified below.
- These mechanisms may include, but are not limited to, conciliation mediated by a third party, adjudication in an agreed national or international forum, and national or international arbitration.
- 26.3. In case of Dispute or difference arising between the Purchaser and a supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Arbitration and Conciliation Act, 1996.
- 27. Governing Language** - The contract shall be written in English language. Subject to GCC Clause 28, English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language
- 28. Applicable Law**
- 28.1. The contract shall be governed by the Law of Contract for the time being in force.
- 28.2. Irrespective of the place of delivery, the place of performance or place of payment under the contract, the contract shall be deemed to have been made at the place from which the acceptance of tender has been issued
- 28.3. Jurisdiction of Courts: The courts of the place from where the acceptance of tender has been issued shall alone have jurisdiction to decide any dispute arising out of or in respect of this contract.
- 28.4. One month notice will be given by either party for termination of Contract during the tenure of Contract for breach of Clause or otherwise.
- 29. Taxes and Duties** - Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser.
30. All legal disputes arising out of this contract /bid shall be subject to competent court and forum under judicature of Gaya only.
31. Submission of Performance Bank Guarantee: PBG for 5% of Basic Contract Value with validity of 15 months

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

---

**Annexure "A"**

**Item Details with Technical Specifications**

**Enclosed as Annexure-A1**

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

### Quality Control

- The University shall have a right for Pre-dispatch Inspection of all the items covered under scope.
- Randomly selected samples from factory shall be sent to Government approved laboratories for testing of technical parameters viz. Moisture content etc. In event of non-confirmation of result after testing, entire lot of material supplied shall be rejected. Cost towards sampling, testing shall be borne by the tenderer and nothing extra shall be paid.
- The firm before supply of material will request the University for Pre-dispatch inspection.
- Any damage caused to the existing facilities to be made good by the tenderer.

### Note

- Cost towards fittings, hardware, glass items, fixtures, polishing (high quality melamine), priming and painting, loading, unloading, forest clearance, transportation, transit insurance, packing, un-packing, labour, preparation of As-supplied drawings etc. are deemed to be included in the cost of material as quoted and nothing extra shall be paid on account of above.
- Defect liability period shall be of 1 year from the date of final handing of entire scope. In no case, performance Guarantee shall be released before expiry of the defect liability period.
- Shade/ color of laminate, veneer and wood shall be proposed by the tenderer for approval so as to have allegiance and best aesthetic look to match with other existing infrastructure of the university in building. Nothing extra shall be paid on account of above.
- The indicative lay-out plan of the floors of the Guest House building is attached with the tender document as Annexure- (IIA, IIB & IIC). Layout of multipurpose hall shall be done based on shop drawing prepared by the tenderer.

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

### General Technical Specifications

#### General

- ❖ All items shall suit space conditions as available on site. Purchase Rules and Procedures (PRP) of the University available on website of the University shall be a part of the bidding document.
- ❖ The Tenderer should satisfy themselves by actual verification of dimensions at site and according shop drawings to be prepared. No claim on account of mismatch of dimensions shall be entertained.
- ❖ The Tenderer shall furnish without any additional cost, all appurtenances and/or accessories, which may not be specifically mentioned in the specifications.
- ❖ The Tenderer is presumed to have studied all technical specifications before making a bid.
- ❖ Tendered may offer for higher/richer specification than the minimum desired parameters mentioned.
- ❖ Cost towards making holes/ pockets for electrical switches and sockets in the furniture are deemed to be included in the quoted price of the tenderer and nothing extra shall be paid.
- ❖ The sizes of rooms and common spaces are attached in a tender document as Annexures. The intended bidders are advised to go through the Annexures for clarity dimension and orientations.
- ❖ The Contract value may increase or decrease up to 10% of the awarded value and individual item may increase or decrease up to 100% which shall be instructed by the University after submission of shop drawing by the tenderer. Nothing extra shall be paid by the University towards above variation.
- ❖ Offer received for part items of Bill of Quantity shall be summarily rejected.

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

---

### CERTIFICATE

(to be provided on letter head of the firm)

I hereby certify that the above firm has not been ever blacklisted by any Central/State Government/Public Undertaking/Institute on any account.

I also certify that the above information is true and correct in all respect and in any case at a later date, if it is found that any details provided above are incorrect, then the contract given to the above firm may be summarily terminated and the firm may be blacklisted.

**Date :**  
**Place**

Authorized Signatory

Name Seal

Designation

Contact No.

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

### AFFIDAVIT

1. I/We the undersigned do hereby certify that all the statements made in the required attachments are true and correct
2. The undersigned also hereby certifies that neither our firm M/s .....  
..... have abandoned any work/supply  
nor any contract awarded to us for such works/supplies have been rescinded, during  
last three years prior to the date of this bid
3. The undersigned hereby authorize and request any bank, person, firm or Corporation  
to furnish pertinent information deemed necessary as requested by the Central  
University of South Bihar, to verify this statement or regarding my (our) compe-  
tence and general reputation
4. The undersigned understands and agrees that further qualifying information may be  
requested, and agrees to furnish any such information at the request of the Cen-  
tral University of South Bihar

(Signed by an Authorized Officer of the Firm)

Title of Officer

Name of Firm

Date:

Signature & seal of Tenderer



## CENTRAL UNIVERSITY OF SOUTH BIHAR

SH-7, Gaya- Panchanpur Road, Village- Karhara, Post- Fatehpur,  
P.S- Tekari, District- Gaya (Bihar) PIN- 824 236

### UNDERTAKING

[by Tenderer(s)]

Name of the work: .....

Tender No. ....

We confirm that we have quoted the rates in the tender considering Inter-alia the

1. Tender Document(s) with all Annexures, Scope of Vendor
2. Technical specification
3. BOQ Document (Price Bid Format)
4. Drawings, if any and relevant IS Code
5. Sound Engineering practice and CPWD specification
6. Corrigendum, if any
7. Pre Bid Meeting Minutes, if any

We ----- (Name of the Tenderer hereby certify that we have fully read and thoroughly understood the tender requirements and accept all Terms and Conditions of the tender including all corrigendum/addendum issued, if any. Our offer is in confirmation to all the terms and conditions of the tender including all corrigendum/addendum, if any and minutes of the pre- bid meeting. In the event, our offer is found acceptable and contract is awarded to us, the complete tender document shall be considered for constitution of Contract Agreement

Signed for and on behalf of Tenderer(s)

Name of Tenderer(S)

Date :

Place

Seal and Signature of Tenderer






**Note :** - This declaration should be signed by the Tenderer's authorized representative on COMPANY LETTERHEAD who is signing the Bid and to be submitted with tender.

Signature & seal of Tenderer

CENTRAL UNIVERSITY OF SOUTH BIHAR GAYA

ANNEXURE-A1








NAME OF JOB: Supply & fixing of Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)

Sno.	Room	Item Name	TECHNICAL SPECIFICATION	Product Image
1	VIP suit living room & VIP Lounge	SOFA 1 SEATER CUSTOM MADE	Supplying and Fixing 1 seater sofa of following specifications. Overall dimensions will be 850Lengthx800 Widthx900 Height. Seating Area Length- 600mm. Clear Seating Area Width- 500mm. Seating Area Height from Ground- 450mm. Arm rest Height from Ground-630mm. STITCHING shall be done by Nylon thread. INNER frame work material shall be hardwood Babool having moisture content less than 14%. Thickness of Plywood used shall be 12mm. Standard of Plywood used shall be Standard : IS 303 Commercial Plywood. SEAT FOAM Thickness (mm) shall be 125mm which is a mixture as 25mm 32 Density Supersoft + 100mm 32 Density. IT shall be Slabstock foam. Armrest & backrest shall have 50mm thick 32 density foam . The sofa shall have 01 nos. loose back cushion having thickness 100mm (550x450x100mm) which is a mixture as 25mm 32 Density Supersoft foam + 75mm 32 Density foam. Exposed wooden base/legs of sofa shall be hardwood Red Sheesham containing sapwood not more than 10% and having moisture content not more than 14%. Sofa base shall be made out of 38mm thick wood having overall dimensions 730Lx700Wx150H finished with 03 coats of Satin Melamine Polish. The sofa base shall have 4 legs of 38x38x150mm and 4 wooden frames 38x38mm thick connecting all 4 legs. Fixing of base shall be done by Self Tapping screws. Type of Glue used shall be rubber. The sofa seat shall have 03 nos. of S- Springs running across front to back and 04 nos. of elastic band (niwar) running across the length. Sofa to be covered with good quality fabric/leatherette of approved shade. All complete as per drawing & direction of Officer In-charge.	
2	VIP suit living room & VIP Lounge	SOFA 3 SEATER CUSTOM MADE	Supplying and Fixing 3 seater sofa of following specifications. Overall dimensions will be 1900Lengthx800 Widthx900 Height. Seating Area Length- 1650mm. Clear Seating Area Width- 500mm. Seating Area Height from Ground- 450mm. Arm rest Height from Ground-630mm. STITCHING shall be done by Nylon thread. INNER frame work material shall be hardwood Babool having moisture content less than 14%. Thickness of Plywood used shall be 12mm. Standard of Plywood used shall be Standard : IS 303 Commercial Plywood. SEAT FOAM Thickness (mm) shall be 125mm which is a mixture as 25mm 32 Density Supersoft + 100mm 32 Density. IT shall be Slabstock foam. Armrest & backrest shall have 50mm thick 32 density foam . The sofa shall have 03 nos. loose back cushion having thickness 100mm (550x450x100mm) which is a mixture as 25mm 32 Density Supersoft foam + 75mm 32 Density foam. Exposed wooden base/legs of sofa shall be hardwood Red Sheesham containing sapwood not more than 10% and having moisture content not more than 14%. Sofa base shall be made out of 38mm thick wood having overall dimensions 1780Lx700Wx150H finished with 03 coats of Satin Melamine Polish. The sofa base shall have 4 legs of 38x38x150mm and 4 wooden frames 38x38mm thick connecting all 4 legs. Fixing of base shall be done by Self Tapping screws. Type of Glue used shall be rubber. The sofa seat shall have 08 nos. of S- Springs running across front to back and 04 nos. of elastic band (niwar) running across the length. Sofa to be covered with good quality fabric/leatherette of approved shade. All complete as per drawing & direction of Officer In-charge.	
3	Vip lounge & vip living room	Centre table _Custum made table	Supplying and FIXing Centre Table of size 1000x600x450mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (1000x600x28mm), legs 04 nos. (410x75x75mm), shelf 01 nos. (980x580x18mm), top support horizontal frame panel 04 nos. (50mmx28mm), shelf support horizontal frame panel 04 nos. (30mmx28mm). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per direction of Officer In charge.	
4	VIP lounge & VIP Suit living room	Side table _Custum made table	Supplying and Fixing Side Table of size 550x550x550mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (550x550x28mm), legs 04 nos. (410x75x75mm), shelf 01 nos. (530x530x18mm), top support horizontal frame panel 04 nos. (50mmx28mm), shelf support horizontal frame panel 04 nos. (30mmx28mm). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per direction of Officer In-charge. Pls Change as corrected in RED	
5	Entrance Lobby/ Second floor lounge	3 SEATER SOFA CUSTOM MADE	Supplying and Fixing 3 seater sofa of following specifications. Overall dimensions will be 1900 Lengthx700 Widthx880 Height. Seating Area Length- 1650mm. Clear Seating Area Width- 500mm. Seating Area Height from Ground- 450mm. Armrest height 610mm, Backrest height 880mm from floor. STITCHING shall be done by Nylon thread. . INNER frame work material shall be hardwood Babool having moisture content less than 14%. Thickness of Plywood used (mm) shall be 12mm. Standard of Plywood used shall be Standard : IS 303 Commercial Plywood. SEAT FOAM Thickness (mm) shall be 125mm which is a mixture as 25mm 32 Density Supersoft + 100mm 32 Density. It shall be Slabstock foam. ARMREST FOAM & Backrest foam shall be 50mm thick 32 density foam . The sofa backrest shall have 75mm thick foam which is a mixture as 25mm 32 Density Supersoft + 50mm 32 Density. Exposed wooden base/legs of sofa shall be hardwood Red Sheesham containing sapwood not more than 10% and having moisture content not more than 14%. Sofa base shall be made out of 38mm wood having overall dimensions 1800Lx700Wx170H finished with 03 coats of Satin Melamine Polish. The sofa base shall have 4 legs of 50x50x150mm and 4 wooden frames 60x18mm thick connecting all 4 legs. Fixing of base shall be done by Self Tapping screws. Type of Glue used shall be rubber. The sofa seat shall have 10 nos. of S- Springs running across front to back and 04 nos. of elastic band (niwar) running across the length. Sofa to be covered with good quality fabric/leatherette of approved shade. All complete as per drawing & direction of Officer In-charge. Pls Change as corrected in RED	









NAME OF JOB: Supply & fixing of Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)

ANNEXURE-A1

Sno.	Room	Item Name	TECHNICAL SPECIFICATION	Product Image
6	Entrance lobby & 2nd Floor lounge Area	Centre table _Custum made table	Supplying and FIXing Centre Table of size 1000x600x450mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (1000x600x28mm), legs 04 nos. (410x75x75mm), shelf 01 nos. (980x580x18mm), top support horizontal frame panel 04 nos. (50mmx28mm), shelf support horizontal frame panel 04 nos. (30mmx28mm). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per direction of Officer In charge.	
7	Entrance lobby & 2nd floor lounge Area	Side table _Custum made table	Supplying and FIXing Side Table of size 550x550x550mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (550x550x28mm), legs 04 nos. (410x75x75mm), shelf 01 nos. (530x530x18mm), top support horizontal frame panel 04 nos. (50mmx28mm), shelf support horizontal frame panel 04 nos. (30mmx28mm). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per direction of Officer In-charge.	
8	Office	Table	Supplying and FIXing in position Table of the following specifications. Table size shall be 1650 Width mm x 900 Depth mm x 740 Height mm .Table top shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick backing laminate (bdl) .Flat edge Duly sealed with 2 mm thick PVC beading.The modesty shall be 18 mm thick plain particle board (PPB) Clad with 1.0 mm thick decorative laminate (DL) on both sides. Edge Sealed with 2 mm thick PVC beading. Supplying and placing in position ERU of the following specifications. ERU size shall be 1050 Width x 450 Depth x 705 Height. Chair Features : Adjustable Seat Height, Locking Mechanism, Armrest, Swivel, Finish Type : High Quality Chair with seat height adjustment, Push back with lock faciality, whether resistant PP arms, Cushioned seat and mesh back. Care Instructions : "Gently clean using a damp sponge or soft, lint-free cloth on a regular basis. Use a vacuum cleaner service tool to clean the seams. Keep away metal parts from water. " Ergonomic : Yes, Dimensions Weight : 11 kg-15 kg., Frame Material: Plastic. The work shall be carried out as per the instructions and guidance recieved from Officer incharge.	
9	Office & recpetion area	Fabric Office Executive Revolving Chair	Providing and Fixing Office Executive Revolving Chair (Blue) (W)-55cm, (H)-60.0cm & size of seat shall be (W)-51.0cm x (D)-49.0cm. Adjustable Seat Height, Locking Mechanism, Armrest, Swivel, Model Number : 802 Cushion PP, Style: Contemporary & Modern, Frame Material Subtype : PVC, Upholstery Material : Fabric, Upholstery Included : Yes, Upholstery Type : Cushion, Chair Features : Adjustable Seat Height, Locking Mechanism, Armrest, Swivel, Finish Type : High Quality Chair with seat height adjustment, Push back with lock faciality, whether resistant PP arms, Cushioned seat and mesh back. Care Instructions : "Gently clean using a damp sponge or soft, lint-free cloth on a regular basis. Use a vacuum cleaner service tool to clean the seams. Keep away metal parts from water. " Ergonomic : Yes, Dimensions Weight : 11 kg-15 kg., Frame Material: Plastic. The work shall be carried out as per the instructions and guidance recieved from Officer incharge.	
10	Office	Fabric Office Visitor Chair (Blue)	Providing and Fixing Paradise SGF-2070 Fabric Office Visitor Chair (Blue) Armrest, W x H: 54 mm x 84 mm (2 in x 3 in), Frame Material : Plastic, Upholstery Type : Cushion, Visitor Chair Frame :MS Powdercoated Arms : PU, Upholstery : Fabric, Style : Contemporary & Modern, Suitable For : Study & Home Office, Frame Material Subtype : PVC, Upholstery Material : Fabric, Upholstery Included : Yes, Upholstery Type : Cushion, Chair Features : Armrest, Finish Type : MS Powdercoated Arms: PU Upholstery : Fabric, Care Instructions : Gently clean using a damp sponge or soft, lint-free cloth on a regular basis. Use a vacuum cleaner service tool to clean the seams. Keep away metal parts from water. Bush Included : No, Bend Direction : Outward, Ergonomic : Yes, Origin of Manufacture : INDIA, Accessories Included : Frame : MS Powdercoated Arms : PU Upholstery : Fabric, Other Features : High Quality, Long Lasting, Comfortable Chair	
11	Bed Room VIP Suit	BED Custom made	Supplying and FIXing In place of Four Poster Bed of size 1988.8x2121x2100mm to accommodate mattress sized 72"x78" made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. The bed shall have 04 no. legs (70x70x2100mm), side rails 38mm thick 02 nos. (223x38mm), headboard panels 28mm thick 01 no. (100x28mm) & 01 no. (77x28mm), footboard panels 28mm thick 01 no. (100x28mm) & 01 no. (270x28mm), mosquito net rail 04 nos. (50x28mm), wooden support under mattress 1 no. (100x38mm) & 4 nos. (75x28mm). Mattress plywood 12mm thick BWR grade 02 nos. (36x73 inch). The bed shall have 28x20mm wooden battens along all inner surface of headboard/footboard/side rails to support the mattress plywood. The bed headboard /footboard/side rails/plywood supports shall be assembled together with heavy duty M.S. Bed Clamps (dub set) i.e. 06 nos. double bolt bed clamp size 63x38x63mm and 08 nos. single bolt bed clamp size 63x38x38mm fixed with good quality S.S. Screws of 25mm length. All joints to be mortise and Tenon joints. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	
12	Bed Room VIP Suit	Mattress custom made	Supplying and FIXing King Size Mattress size of 72"x*78"x6" , constructed using Bonded Foam With combination of HR Foam covered with Premium knitted Fabric. The mattress shall have a combination of 100mm Thick 90 Density Bonded Foam + 50mm thick 32 Density H.R. foam. Both outer sides shall have knited fabric covering with quilting of 12mm thick 28 Density foam.	






NAME OF JOB: Supply & fixing of Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)

ANNEXURE-A1

Sno.	Room	Item Name	TECHNICAL SPECIFICATION	Product Image
13	Bed Room VIP Suit	Standard and King sizes Pillow with Pillow Cover	Supplying and FIXing Standard Size Goose Down and Feather Pillows (17" x 27"). Best Down pillows are filled with the soft, interior plumage of ducks or geese; they also contain coarser outer feathers for extra padding. Our pick for the Best Down/Feather Pillow is the Luxe Pillow, which features three internal chambers: a central chamber containing waterfowl feathers and two outer chambers with white goose down fill. The pillow is constructed with a 300TC cotton cover and a down and feather insert, which can be removed when the cover needs to be washed. Both the cover and the insert have piped edges to secure the fill and prevent materials from escaping.	
14	Single Bed Room	White Pillow Highloft	Supplying and FIXing Standard White Pillow Highloft size 18" x 27" (45cm x 67.5cm) This classic hollow fiber pillow has been specially designed to be light and fluffy. It is ideal for people who like their pillow to be high and lofty. This great value pillow features a premium cotton top fabric with a non-allergenic hollow fiber polyester filling. Casing: 100% Fine Indian Cotton, Filling: 100% Polyester Hollowfiber, Height: High, Softness: Medium	
15	Bed Room VIP Suit	Custom made	Supplying and FIXing of Bedside Cabinet with 03 Drawers of size 550Lx400Wx600Hmm made out of Second Class Teak Wood having moisture content not more than 14%. The cabinet shall have 03 nos. of drawers for storage running on ball bearing telescopic channels. Cabinet Top in 18mm thick wood (550x400x18mm), legs 04 nos. (50x50mm thick), top (front/side/back) horizontal frame panels 04 nos. (38x28mm), front bottom/partition frame panels 03 nos. (28x28mm), cabinet side panels 02 nos. in 18mm thick wood (484x300x18), cabinet back panel in 12mm thick BWR plywood. Each drawer unit shall have 18mm thick front panel 01 no. in wood (450x132.6x18mm), side/back panel 03 nos. in 18mm thick BWR plywood and drawer base panel 01no. in 12mm thick BWR plywood. All joints to be mortise and Tenon joints. With all necessary hardware i.e. good quality 03 nos. 14" telescopic channel and 03 nos. drawer pull handles as approved. 3 coats of Satin Melamine polish to be done in approved shade all around and top shall be of 1 mm thick laminate. All complete as per drawing & direction of Officer In-charge.	
16	VIP SUITE/ STUDY TABLE	Custom made study table	Supplying and FIXing in place Study Table with 02 Drawers of size 1000x600x750mm made out of Second Class Teak Wood having moisture content not more than 14%. The study table shall have 02 nos. of drawers for storage running on ball bearing telescopic channels. Study Table top in 18mm thick plywood (1000x600x18mm) with teak wood beading on all edges and 1 mm laminate pasting with good quality adhesive "Fevicol S.R." or equivalent, Legs 04 nos. (50x50mm thick), top front horizontal frame panels 01 no. (60x28mm), Side panels 02 nos. in 18mm thick wood (440x238x18mm). It shall have 03nos. leg support frame panel i.e. 01 no. in 28mm thick wood (40x28mm) connecting both back legs and 01 nos. connecting both front & back legs on each side. Each drawer unit shall have 18mm thick front panel 01 no. in wood (280x110x18mm), side/back panels 03 nos. in 18mm thick BWR plywood and drawer base panel 01 no. in 12mm thick BWR plywood. Drawer compartment back shall be made in 12mm thick BWR plywood (280x220mm) and drawer compartment side shall be made in 18mm thick wood. All joints to be mortise and Tenon joints. With all necessary hardware i.e. good quality 02 nos. 18" telescopic channels and 02 nos. drawer pull handles as approved. 3 coats of Satin Melamine polish to be done in approved shade all around and top shall be of 1 mm thick laminate. All complete as per drawing & direction of Officer In-charge.	
17	Single Bed Room & VIP SUITE/ Dormitory-1	Custom made study Chair	Supplying and FIXing of Chair 450x500x1000 mm made out of Second Class Teak Wood having moisture content not more than 14%. Chair front legs 02 nos. (50x50mm), back legs 02 nos. (40x35mm) tapered at an angle of 95 degree from the seat wood panel. Seat bottom frame panel front/back/side 04 nos. in 28mm thick wood (60x28mm). Side Leg support panels 02 nos. in 28mm thick wood (30x28mm). Chair back shall have top/middle panels in 30mm thick wood i.e. 01no. (30x30mm) & 02 nos. (40x30mm). Seat shall have 50mm thick 32 density foam pasted on 12mm BWR plywood covered with good quality fabric/Rexene. Front side of back rest shall have 8mm thick BWR plywood with 25mm thick 32 density foam pasting covered with fabric/Rexene and back side of back rest shall have 6mm thick BWR plywood with 12mm thick 28 density foam pasting covered with fabric/Rexene. Foam to be pasted with good quality adhesive "Fevicol S.R." or equivalent. Good quality fabric/Rexene in approved shade to be used. All joints to be mortise and Tenon joints. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	
18	Dining Hall - table	TABEL Custom made	Supplying & FIXing in position Dining Table Table of size 1370 x 900 x 750 mm. Top made with 16-18mm thick Black Garenite with 30mm moulding around and properly fixed main frame by adseive and screw. . Table Legs , frames, and support shall be made in Second Class Teak Wood. Legs 90x90mm, Side Horizontal Frames 90x38mm and 03 nos. of support 60x28mm under the top. With all necessary hardware for knock-down and assembly. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	





NAME OF JOB: Supply & fixing of Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)

ANNEXURE-A1

Sno.	Room	Item Name	TECHNICAL SPECIFICATION	Product Image
19	Dining Hall - CHAIR	Custom made	Supplying and Fixing of Chair 450x500x1000 mm made out of Second Class Teak Wood having moisture content not more than 14%. Chair front legs 02 nos. (50x50mm), back legs 02 nos. (40x35mm) tapered at an angle of 95 degree from the seat wood panel. Seat bottom frame panel front/back/side 04 nos. in 28mm thick wood (60x28mm). Side Leg support panels 02 nos. in 28mm thick wood (30x28mm). Chair back shall have top/middle panels in 30mm thick wood i.e. 01no. (30x30mm) & 02 nos. (40x30mm). Seat shall have 50mm thick 32 density foam pasted on 12mm BWR plywood covered with good quality fabric/Rexene. Front side of back rest shall have 8mm thick BWR plywood with 25mm thick 32 density foam pasting covered with fabric/Rexene and back side of back rest shall have 6mm thick BWR plywood with 12mm thick 28 density foam pasting covered with fabric/Rexene. Foam to be pasted with good quality adhesive "Fevicol S.R." or equivalent. Good quality fabric/Rexene in approved shade to be used. All joints to be mortise and Tenon joints. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	
20	Conference Room -Table	Custom made table	Supply and Fixing of 22 seater horse-shoe shaped conference table provided with veneered top, back, front & sides pasted over block board. Minimum seating space for 2 person should not be less than 1380(W) X 750(D) X 750(H)mm. Top :- 750mm wide top made out of 38mm (19mm + 19mm) thick commercial board (Century/Green Lam) covered with 4 mm thick cedar wood veneered plywood with wood beading on all edges. Double raceway with Pelmet for wiring purpose with flip top opening to access cable trays below containing wires in matching veneer finish. Full height vertical front/ back/sides made out of 18mm thick commercial board Century/Green-Lam covered with 4 mm thick cedar wood veneered plywood in approved pattern making decorative modesty panel. All complete as per drawing & direction of Officer In-charge.	
21	Conference Room - Chair	Conference Revolving Chair	Supply and Fixing Conference Revolving Chair. The seat shall be made up of 1.2+/-0.1cm thick hot pressed plywood and upholstered with fabric or synthetic leather and moulded polyurethane foam. The back shall be made up 1.2+/-0.1cm thick hot pressed plywood upholstered with replaceable fabric or synthetic leather upholstery covers and moulded polyurethane foam. The moulded polyurethane foam shall be of density 45+/-2kg/m <sup>3</sup> , and hardness load 16+/-2kgf for 25% compression. The dimensions of seat shall be- 51.0cm(W) x 48.0cm(D) and of back shall be 48.0cm(W) x 64.5cm(H). The armrest top shall be made of moulded polyurethane and mounted on to a fixed type M.S tubular armrest support chrome plated. The Arm support has static vertical adjustment of +/-1.5+/-0.05cm. The mechanism of the chair shall have following features : 360° revolving type, Front pivot synchro mechanism, Tilt tension adjustment, Single point control, 4 position locking with anti shock feature, Seat/Back tilting ratio of 1:2. The backrest shall consist of a fixed type mechanism i.e no back up/down adjustment. The chair shall be provided with pneumatic height adjustment which shall have stroke of 9.0 +/- 0.3 cm. The pedestal shall be fabricated from 0.2+/-0.02cm thick HR sheet, chrome plated and assembled with injection moulded black polypropylene hub cap. The size of the pedestal shall be 66.0+/- 0.5 cm pitch-centre-dia (76.0 +/- 1.0 cm with castors). The twin wheel castors shall be made black nylon. Overall dimensions of Chair shall be, Width of Chair - 76.0cm, Depth of Chair - 76.0cm as measured from pedestal below. Height from ground - min 91.0 to max 100.0cm. Seat height - min 46.0 to max 55.0cm. Dimensions tolerance / variations shall be within +/- 1 cm. All complete as per drawing & direction of Officer In-charge.	
22	Storage - Reception & office	Storage unit	Supplying and Placing Big Almirah. shall have an overall size of 916mm(W)x486mm(D)x1980mm(H) with welded construction. It should have the shelf thickness of 0.7 mm, Back thickness of 0.8mm, Door thickness of 0.8mm (high yield strength) and all other components shall have a thickness of 0.9mm. These components shall be made of CRCA 'D' grade high yield strength. The Almirah should have a Mazak handle and Three way locking mechanism with Shooting Bolts. It should have a height wise adjustable shelf mounting which shall have a Uniformly Distributed Load Capacity of max 40 Kg. It should also have a M10 Screw type Leveller with Hex plastic base. The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10). Plenty of colour options and shelving options shall be available.	
23	Single Bed Room & VIP suit living room	Coffee chair -Custom made	Supplying & Placing in position Coffee Chair made up of Second class teak Wood. Overall Size of chair shall be 650 Width x700 Depth x Height 900mm. Front legs 50x28mm, back legs 45x28mm, arm rest 70x28mm, Seat bottom frames (front/side/back) 80x28mm & back top horizontal curved frame 110x28mm in wood. Clear seating Area Length- 550mm. Clear Seating Area depth- 550mm. Seating Height from Ground- 460mm. Arm rest Height from Ground-690mm. STITCHING shall be done by Nylon thread. SEAT FOAM Thickness (mm) shall be 125mm which is a mixture as 25mm 32 Density Supersoft + 100mm 32 Density. IT shall be Slabstock foam. Armrest inner side shall be 8mm plywood pasted with 25mm thick 32 density foam and armrest outer side shall be 6mm plywood pasted with 12mm thick 32 density foam, both covered with fabric/leatherette. Backrest inner side shall be 8mm plywood pasted with 75mm thick 32 density foam (which is a mixture of 25mm 32 Density Supersoft + 50mm 32 Density foam) and backrest outer side shall be 6mm plywood pasted with 12mm thick 32 density foam, both covered with fabric/leatherette. Standard of Plywood used shall be Standard : IS 303 Commercial Plywood. The chair seat shall have 03 nos. of S- Springs running across front to back and 03 nos. of elastic band (niwar) running across the length. Chair to be covered with good quality fabric/leatherette of approved shade. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	






NAME OF JOB: Supply & fixing of Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)

ANNEXURE-A1

Sno.	Room	Item Name	TECHNICAL SPECIFICATION	Product Image
24	Single Bed Room	Coffee Centre Table - Custom made	Supplying and Fixing Coffee Centre Table of size 700 mm dia. x 450mm height made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs & supporting structure made up of red sheesham wood. Top 700 dia. x 28mm thick, legs 04 nos. (80mm dia x 422mm height with turning ), top support horizontal frame panel 04 nos. (80mmx28mm curved ), Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per Drawing & direction of Officer In-charge.	
25	VIP suit living room	Coffee Centre Table - Custom made	Supplying and Fixing Coffee Centre Table of size 700 mm dia. x 450mm height made out of Second class Teak wood having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (700 dia. x 28mm thick), shelf 01 no. (600dia x 18mm thick), legs 04 nos. (422mm height x 80x80mm curved), top support horizontal frame panel 04 nos. (80mmx28mm curved ). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per Drawing & direction of Officer In-charge.	
26	Single Bed Room & dormitory	TV Cabinet - custom made	Supplying & Placing in position TV Wall Panel size 1500Length x 1200Height x100Depth mm made out of 18mm BWR grade Blockboard with 1mm laminate pasting on front & side panels of approved shade. 02 coats of enamel paint on the back/wall side of the panel. It shall have 01 storage shelf of 250mm depth on the bottom with 180mm internal height of storage compartment. Fixing on wall with necessary hardware and providing holes & cutouts to accomodate switch, socket and wiring internally. All complete as per drawing & direction of Officer In-charge.	
27	VIP suit living room	TV Cabinet - custom made	Supplying & Placing in position TV Wall Panel size 1800Length x 1200Height x100Depth mm made out of 18mm BWR grade Blockboard with 1mm laminate pasting on front & side panels of approved shade. 02 coats of enamel paint on the back/wall side of the panel. It shall have 01 storage shelf of 250mm depth on the bottom with 180mm internal height of storage compartment. Fixing on wall with necessary hardware and providing holes & cutouts to accomodate switch, socket and wiring internally. All complete as per drawing & direction of Officer In-charge.	
28	Dining Hall	Crockery case	Providing and fixing in position for crockery case of made of internal framework, shelves, drawers, layon slides partitions and shutters with 19 mm thick prelaminated block board of BWR Grade, Decorative Type (BWP-DEC) of approved quality or equivalent stamped with IS-1659: 2004 (latest Edition) and prelamination should conform to IS-2046:1995 (latest Edition) including piano type hinges (19x25mm), best quality teak wood lipping around the shutter edges, magnetic ball catchers, brass tower bolt, knobs,handles with SS roses 150 mm x 19 mm dia (Ref. Make - Dorset, Dorma, Godrej or equivalent), spirit polishing/ enamel painting on lipping in required shade matching to the laminate etc. complete in all respects inclusive of cost of all labour, materials, tools, tackles etc. as per drawings, specifications and direction of Site Officer (measurement of cupboard shall be taken as front elevation area of shutters only for payment). Vender to submit the Shop Drawing as per side condition.	Please refer Sketch No. 1/28 & 2/28
29.1	VIP suit living room, Single Bed Room & dormitory	Wardrobe	Providing and fixing wooden Wardrobe up to 24" deep made up of 18mm thick marine (B.W.R) ply on all sides with 6mm thick ply for rear. Including Shutters with designer Laminates of minnum two designs or more of minimum 1mm thick. the Back of door shutter shall be of 1mm white Laminate. Note: For Shutters only block bord with pine wood shall be used for doors of Wardrobe. Shelves to be provided are of 12mm thick commercial ply as per appd drawing. All internal surfaces are to be laminated with 1.0 mm thick lamination sheet of approved make and colour and external sides to be laminated with 1mm lamination sheet of approved make and colour with wooden beadings for the edges as per the instructions of the site incharge including providing all necessary Hardware such as brass hinges, MS Heay duty powder coated telescopic channels, 20mm dia SS rail for cloth hangers, towerbolts, locks, magnetic locks, handles, rollers etc. complete as per direction of Officer-in-charge (Measurement of front elevation shall be considered for making payment).	Please refer Sketch No. 1/29 & 2/29
29.2	VIP suit living room	Wardrobe	Providing and fixing wooden Wardrobe up to 24" deep made up of 18mm thick marine (B.W.R) ply on all sides with 6mm thick ply for rear. Including Shutters with teak/ sheesham veneer of minimum 0.45 mm thick pasted with ply and board, the Back of door shutter shall be of 1 mm thick laminate of matching shade all including 3 coats of melamine polishing on veneer to a matching shade. Note: For Shutters only block bord with pine wood shall be used for doors of Wardrobe. Shelves to be provided are of 12mm thick commercial ply as per appd drawing. All internal surfaces are to be laminated with 1.0 mm thick lamination sheet of approved make and colour and external sides to be laminated with 1mm lamination sheet of approved make and colour with wooden beadings for the edges as per the instructions of the site incharge including providing all necessary Hardware such as brass hinges, MS Heay duty powder coated telescopic channels, 20mm dia SS rail for cloth hangers, towerbolts, locks, magnetic locks, handles, rollers etc. complete as per direction of officer-in-charge (Measurement of front elevation shall be considered for making payment).	Please refer Sketch No. 1/29 & 2/29




NAME OF JOB: Supply & fixing of Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)

ANNEXURE-A1

Sno.	Room	Item Name	TECHNICAL SPECIFICATION	Product Image
30	Single Bed Room & Dormitory	Single bed-custom made	Providing and fixing of Cot of Size 1945 mmx 955 mmx 482 mm (Length x breadth x height) made out of seasoned kiln dry and chemically treated Red Sheesham Wood framing with moisture content as per IS: 287:1993 and permissible sap wood content composite fitted with 18 mm thick Boiling Water Resistant Solid block board on top, edges lipped with 20mm x 50 mm Sheesham wood lipping all around and satine melamine finish polishing all wood surface and 18 BWR Ply wood single coat priming and 2 coat of synthetic enamel paint of reputed make as per relevant IS Code on underside of bed on block board with appropriate fillers to get neat and smooth finish paint as per CPWD's specification and desired thickness and framing with hardware and fixing arrangement as per drawing and sketch enclosed including 10 mm wide groove on periphery of Bed Cot in main panel of Sheesham wood under the leaping. All four side Leg top side & panel member (vertical to horizontal) should be fixed with ISA 45mm x 45mm x 5mm fitted with 19mm SS Screw. All outside 4no. main panel (95mm x 30mm) should be fixed with Bed clamp of SS 50mm/35mmX50X1 mm thick with 19mm SS Screw (Horizontal to horizontal) with 4no. Legs of size 95mmx 95mmx 432 mm as per sketch No. 1/31. All internal members to be fixed with SS 50mm/35mmX50X1 mm fitting 19mm SS Screw) to long panel all periphery leaping to be fixed with with superior quality adhesive compound "Fevicol" or equivalent and SS screw. All complete as per direction of Officer In-charge. Note: Self driving screws shall be considered of adequate size in place of SS screw.	
31	Single Bed Room	Single bed size mattress	Supply and Placing of " Bed Mattress" of Size 75 x 36 x 3 inch a 70-80 density with 2" BIS certified, rubberized coir, Coir Pad with 25% Dry Rubber, Content 23 density 1" PU Foam on top, One side 7 mm thick quilting of density, 18 kilogram/ cubic meter, Poly Rotto fabric of Maroon colour. All complete as per direction of Officer In-charge	
32	Dormitory	Head Rest-Dormitory -- Custom Made	Supplying and Fixing of Headrest of size 955x450x68mm to be made with 50mm PU foam, 8mm BWR plywood & 18mm BWR Block board panels pasted with 50mm 40 +/- 2 kg/ cubic meter and covered with 1 mm thick good quality Rexine shall be fixed on 18mm BWR block board. 18mm BWR block board shall have 18x10mm second class teak wood leaping with 03 coats of melamine polish on all edges. Foam to be pasted with good quality adhesive "Fevicol S.R." or equivalent. Good quality Rexene all around on front side of head rest with wall side of block board painted with 1 coat of wood primer & 2 coats of Synthetic enamel paint. Head-rest fitting & fixing on wall with good Quality (ISI made) S.S. Screw 3.5mm dia. x 40mm length and suitable hardware. Wooden leaping all around. Board top to be pasted with good quality adhesive "Fevicol" The Head-rest fittings, wall clamp & SS screw to be provided as per Drawing.. Paints to be applied with priming coat after due process of filing and filling with approved fillers to get a neat and smooth finish paint. All complete as per drawing & direction of Officer In-charge	
33	Single Bed Room	Head Rest--- Custom Made	Supplying and Fixing of Headrest of size 2580x450x68mm to be made with 50mm PU foam, 8mm BWR plywood & 18mm BWR Block board panels pasted with 50mm 40 +/- 2 kg/ cubic meter and covered with 1 mm thick good quality Rexine shall be fixed on 18mm BWR block board. 18mm BWR block board shall have 18x10mm second class teak wood leaping with 03 coats of melamine polish on all edges. Foam to be pasted with good quality adhesive "Fevicol S.R." or equivalent. Good quality Rexene all around on front side of head rest with wall side of block board painted with 1 coat of wood primer & 2 coats of Synthetic enamel paint. Head-rest fitting & fixing on wall with good Quality (ISI made) S.S. Screw 3.5mm dia. x 40mm length and suitable hardware. Wooden leaping all around. Board top to be pasted with good quality adhesive "Fevicol" The Head-rest fittings, wall clamp & SS screw to be provided as per Drawing.. Paints to be applied with priming coat after due process of filing and filling with approved fillers to get a neat and smooth finish paint. All complete as per drawing & direction of Officer In-charge	
34	Single Bed Room	side table Custom Made	Supplying and Placing Bedside Cabinet with 01 Drawer and open storage. Cabinet Size 450Lx400Wx500H mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. The cabinet shall have 01 no. of drawer for storage running on ball bearing telescopic channels. Cabinet Top with 1mm laminate of approved shade pasted on 18mm BWR grade Block board with 18x10mm beading on all edges (450x400x18mm), legs 04 nos. (38x38mm thick), top (front/side/back) horizontal frame panels 04 nos. (38x28mm), front/back bottom frame panels 02 nos. (38x28mm), cabinet side panels 02 nos. in 18mm thick red sheesham wood (405x324x18mm), cabinet back panel in 12mm thick BWR plywood. Open storage base shall be in 18mm thick wood. The drawer unit shall have 18mm thick front panel 01 no. in wood (374x130x18mm), drawer side/back panel 03 nos. in 18mm thick BWR plywood and drawer base panel 01 no. in 12mm thick BWR plywood. All joints to be mortise and Tenon joints. With all necessary hardware i.e. good quality 01 no. 14" telescopic channel and 01 no. drawer pull handles as approved. 3 coats of Satin Melamine polish to be done in approved shade all around and top shall be of 1 mm thick laminate. All complete as per drawing & direction of Officer In-charge	

NAME OF JOB: Supply & fixing of Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)

ANNEXURE-A1

Sno.	Room	Item Name	TECHNICAL SPECIFICATION	Product Image
35	Single Bed Room & VIP Suit & diuble bed rooms	Study Table Custom Made	Supplying and Placing Study Table with 01 Drawer. Size 900Lx550Wx750H mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. The study table shall have 01 no. of drawer for storage running on ball bearing telescopic channels. Top (900x550x18mm) with 1mm laminate of approved shade pasted on 18mm BWR grade Block board with 18x10mm beading on all edges, legs 04 nos. (60x28mm thick), top (front/side/back) horizontal frame panels 04 nos. (38x28mm), table side panels 02 nos. in 18mm thick red sheesham wood (544x87x18mm), table back panel in 18mm thick wood. The drawer unit shall have 18mm thick front panel 01 no. in wood (780x85x18mm), drawer side/back panel 03 nos. in 18mm thick BWR plywood and drawer base panel 01 no. in 12mm thick BWR plywood. All joints to be mortise and Tenon joints. With all necessary hardware i.e. good quality 01 no. 14" telescopic channel and 01 no. drawer pull handles as approved. 3 coats of Satin Melamine polish to be done in approved shade all around and top shall be of 1 mm thick laminate. All complete as per drawing & direction of Officer In-charge.	
36	CUPBOARDS In all rooms	MIRROR custom made	Supplying & Placing in position Mirror With Wooden Frame size 1700x650x28mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. It shall have 02 nos. 28mm thick vertical wooden panels of size 1700x80x28mm & 02 nos. 28mm thick horizontal wooden panels of size 508x80x28mm. The wood panels shall have 12mm thick rebate to accommodate 4mm thick Mirror + 8mm thick plywood. The wooden frame shall have 4mm thick mirror of good quality and 8mm thick BWR grade plywood backing. Fixing on wall with necessary hardware. All joints to be mortise and Tenon joints. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	
37	ENTRANCE LOBBY	RECEPETION TABLE - CUSTOM MADE	Providing Reception table along with Feature Wall. Reception table of size 2.00 M x 1 .80 M and height of 750/1050 mm (As per approved Drawing) made of 18 mm thick BWP Grade block board for table top, vertical sides and modesty panel. The table shall have 02 nos. of top i.e. first (600mm wide) at 750mm height and second (250mm wide) at 1050mm height. All outside surfaces of board shall be finished with 4mm thick plywood pasted with .45mm veneer of approved shade. All inside surfaces finished with 1.0 mm thick decorative laminate of approved colour. The table shall also have 01 no 450mm wide storage compartment made of 18mm thick marine plywood pasted with 1mm thick laminate inside and outside. The sotage compartment shall have 01 no. drawer of depth 125mm on telescopic channel and rest shutter. All exposed edges lipped with teak wood beading. The feature wall shall be 2.00 M wide and height as per site and made with 18mm thick BWP grade block board finished with 4mm thick plywood pasted with .45mm veneer of approved shade. The entire unit to be complete with all accessories such as knobs handles lock and key arrangements of approved quality. All veneered surface and teak wood beadings to be finished with 3 coats of Satin Melamine polish approved shade. All Complete as per Direction Of Officer-in-Charge	
38	VIP SUIT, LIVING AREA, CONFERENCE ROOM, DINING HALL AND WAITING AREA	WALL PANNELING	Providing wall pannelling using 12mm thk marine ply with 0.45 mm thick Teak/ sheesham veneer pasted with adhesive including 3 coats of melamine polish, all allied hardware, beedings, making grooves, side leaping and fittings as approved by Engineer-In-Charge. Note: Shop drawings to be got approved prior to procurement planning.	Standard plain wall panelling with leaping at edge and moulded beeding
39	MULTIPURPOSE HALL	COUSHIONED COFORT CHAIR WITH DESKLET	Providing fixing Chairs in which the seat assembly should be made of polyurethane foam moulded with Mild Steel tubular frame insert which should be upholstered with fabric. The insert should be tubular frame made of Dia. 1.9+/-0.02cm x 0.16+/-0.013cm thk MS ERW (Mild Steel, Electric Resistance Welded) round tube with flexible support straps running across the length and width of the frame. The Seat has an auto-tipup feature making it stay in upright position when not in use enabling clear row passage. Approx. Seat Size : 45.5cm (W) x 46.5cm (D). The back assembly should be made of polyurethane foam moulded with Mild Steel tubular frame insert, upholstered with fabric and has a plastic back cover. The insert should be a tubular frame made of Dia. 1.9+/-0.02cm x 0.16+/-0.013cm thk MS ERW (Mild Steel, Electric Resistance Welded) round tube with flexible support straps running across the length and width of the frame. Approx. Back Size : 45.5cm (W) x 70.4cm (H). The High Resilience polyurethane foam should be moulded with density = 45 +/-3 kg/m3. The Chair rests on the ground on two side panel frames fabricated from 0.12+/-0.020cm thk CR Steel sheet which should be clad with fabric upholstery. The side panel frame should be grouted to the floor using 2 nos. of anchors for each panel through 0.3+/-0.05cm thk Hot Rolled Steel. The Synchro-slide mechanism should be designed using heavy duty slides aiding inn relaxed posture. The slider should be connected to back using linkages to achieve synchronous motion between seat & back. The Synchro-slide has an stroke of 60+/-5 mm and should be mounted on the side panel. The armrest should be made up of solid beech wood with clear lacquer coat. The armrest should be fitted with side panel through concealed zinc plated hinge. The desklet should be made of 1.8 +/-0.05cm thick prelaminated particleboard with in suit injection moulded polypropylene edging all around. Desklet Top should be mounted on high pressure die-cast aluminium Arm through metal bracket 0.2+/-0.05cm thk.H.R. steel. The assembly should be mounted on side panel through Desklet arm connector made up of Glass filled nylon (PA +30%GF). Desklet Outer Dimension: 20.8+/-0.1cm W x 30.2+/-0.1cm D. Steel components shall be epoxy polyester powder coated (DFT 40-60 microns).	In accordance with Specification. Shade shall be of matching with interior finish

**Price Bid Proforma**

**BILL OF QUANTITY**

**CENTRAL UNIVERSITY OF SOUTH BIHAR GAYA**

**Tender Notice No. & Date: CUSB/PSD/G.House/TENDER/26/2018-19 dated 01.03.2019**

**NAME OF JOB: Supply & fixing of Furniture in proposed Guest House Building and multipurpose hall of CUSB at Panchanpur, Gaya (Bihar)**

S.no.	Room	Item Name	Item Description	Qty	Unit	Rate (INR)	Amount (INR)
1	VIP suit living room & VIP Lounge	SOFA 1 SEATER CUSTOM MADE	Supplying and Fixing 1 seater sofa of following specifications. Overall dimensions will be 850Lengthx800 Widthx900 Height. Seating Area Length- 600mm. Clear Seating Area Width- 500mm. Seating Area Height from Ground- 450mm. Arm rest Height from Ground-630mm. STITCHING shall be done by Nylon thread. INNER frame work material shall be hardwood Babool having moisture content less than 14%. Thickness of Plywood used shall be 12mm. Standard of Plywood used shall be Standard : IS 303 Commercial Plywood. SEAT FOAM Thickness (mm) shall be 125mm which is a mixture as 25mm 32 Density Supersoft + 100mm 32 Density. IT shall be Slabstock foam. Armrest & backrest shall have 50mm thick 32 density foam . The sofa shall have 01 nos. loose back cushion having thickness 100mm (550x450x100mm) which is a mixture as 25mm 32 Density Supersoft foam + 75mm 32 Density foam. Exposed wooden base/legs of sofa shall be hardwood Red Sheesham containing sapwood not more than 10% and having moisture content not more than 14%. Sofa base shall be made out of 38mm thick wood having overall dimensions 730Lx700Wx150H finished with 03 coats of Satin Melamine Polish. The sofa base shall have 4 legs of 38x38x150mm and 4 wooden frames 38x38mm thick connecting all 4 legs. Fixing of base shall be done by Self Tapping screws. Type of Glue used shall be rubber. The sofa seat shall have 03 nos. of S- Springs running across front to back and 04 nos. of elastic band (niwar) running across the length. Sofa to be covered with good quality fabric/leatherette of approved shade. All complete as per drawing & direction of Officer In-charge.	10	each		
2	VIP suit living room & VIP Lounge	SOFA 3 SEATER CUSTOM MADE	Supplying and Fixing 3 seater sofa of following specifications. Overall dimensions will be 1900Lengthx800 Widthx900 Height. Seating Area Length- 1650mm. Clear Seating Area Width- 500mm. Seating Area Height from Ground- 450mm. Arm rest Height from Ground-630mm. STITCHING shall be done by Nylon thread. INNER frame work material shall be hardwood Babool having moisture content less than 14%. Thickness of Plywood used shall be 12mm. Standard of Plywood used shall be Standard : IS 303 Commercial Plywood. SEAT FOAM Thickness (mm) shall be 125mm which is a mixture as 25mm 32 Density Supersoft + 100mm 32 Density. IT shall be Slabstock foam. Armrest & backrest shall have 50mm thick 32 density foam . The sofa shall have 03 nos. loose back cushion having thickness 100mm (550x450x100mm) which is a mixture as 25mm 32 Density Supersoft foam + 75mm 32 Density foam. Exposed wooden base/legs of sofa shall be hardwood Red Sheesham containing sapwood not more than 10% and having moisture content not more than 14%. Sofa base shall be made out of 38mm thick wood having overall dimensions 1780Lx700Wx150H finished with 03 coats of Satin Melamine Polish. The sofa base shall have 4 legs of 38x38x150mm and 4 wooden frames 38x38mm thick connecting all 4 legs. Fixing of base shall be done by Self Tapping screws. Type of Glue used shall be rubber. The sofa seat shall have 08 nos. of S- Springs running across front to back and 04 nos. of elastic band (niwar) running across the length. Sofa to be covered with good quality fabric/leatherette of approved shade. All complete as per drawing & direction of Officer In-charge.	5	each		
3	Vip lounge & vip living room	Centre table _Custom made table	Supplying and FIXing Centre Table of size 1000x600x450mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (1000x600x28mm), legs 04 nos. (410x75x75mm), shelf 01 nos. (980x580x18mm), top support horizontal frame panel 04 nos. (50mmx28mm), shelf support horizontal frame panel 04 nos. (30mmx28mm). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per direction of Officer In-charge.	5	each		
4	VIP lounge & VIP Suit living room	Side table _Custom made table	Supplying and Fixing Side Table of size 550x550x550mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (550x550x28mm), legs 04 nos. (410x75x75mm), shelf 01 nos. (530x530x18mm), top support horizontal frame panel 04 nos. (50mmx28mm), shelf support horizontal frame panel 04 nos. (30mmx28mm). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per direction of Officer In-charge. Pls Change as corrected in RED	6	each		
5	Entrance Lobby/ Second floor lounge	3 SEATER SOFA CUSTOM MADE	Supplying and Fixing 3 seater sofa of following specifications. Overall dimensions will be 1900 Lengthx700 Widthx880 Height. Seating Area Length- 1650mm. Clear Seating Area Width- 500mm. Seating Area Height from Ground- 450mm. Armrest height 610mm, Backrest height 880mm from floor. STITCHING shall be done by Nylon thread. INNER frame work material shall be hardwood Babool having moisture content less than 14%. Thickness of Plywood used (mm) shall be 12mm. Standard of Plywood used shall be Standard : IS 303 Commercial Plywood. SEAT FOAM Thickness (mm) shall be 125mm which is a mixture as 25mm 32 Density Supersoft + 100mm 32 Density. It shall be Slabstock foam. ARMREST FOAM & Backrest foam shall be 50mm thick 32 density foam . The sofa backrest shall have 75mm thick foam which is a mixture as 25mm 32 Density Supersoft + 50mm 32 Density. Exposed wooden base/legs of sofa shall be hardwood Red Sheesham containing sapwood not more than 10% and having moisture content not more than 14%. Sofa base shall be made out of 38mm wood having overall dimensions 1800Lx700Wx170H finished with 03 coats of Satin Melamine Polish. The sofa base shall have 4 legs of 50x50x150mm and 4 wooden frames 60x18mm thick connecting all 4 legs. Fixing of base shall be done by Self Tapping screws. Type of Glue used shall be rubber. The sofa seat shall have 10 nos. of S- Springs running across front to back and 04 nos. of elastic band (niwar) running across the length. Sofa to be covered with good quality fabric/leatherette of approved shade. All complete as per drawing & direction of Officer In-charge. Pls Change as corrected in RED	5	each		
6	Entrance lobby & 2nd floor lounge Area	Centre table _Custom made table	Supplying and FIXing Centre Table of size 1000x600x450mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (1000x600x28mm), legs 04 nos. (410x75x75mm), shelf 01 nos. (980x580x18mm), top support horizontal frame panel 04 nos. (50mmx28mm), shelf support horizontal frame panel 04 nos. (30mmx28mm). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per direction of Officer In-charge.	5	each		
7	Entrance lobby & 2nd floor lounge Area	Side table _Custom made table	Supplying and FIXing Side Table of size 550x550x550mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (550x550x28mm), legs 04 nos. (410x75x75mm), shelf 01 nos. (530x530x18mm), top support horizontal frame panel 04 nos. (50mmx28mm), shelf support horizontal frame panel 04 nos. (30mmx28mm). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per direction of Officer In-charge.	5	each		


S.no.	Room	Item Name	Item Description	Qty	Unit	Rate (INR)	Amount (INR)
8	Office	Table	Supplying and FIXing in position Table of the following specifications. Table size shall be 1650 Width mm x 900 Depth mm x 740 Height mm. Table top shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick backing laminate (bdl) .Flat edge Duly sealed with 2 mm thick PVC beading.The modesty shall be 18 mm thick plain particle board (PPB) Clad with 1.0 mm thick decorative laminate (DL) on both sides. Edge Sealed with 2 mm thick PVC beading. Supplying and placing in position ERU of the following specifications. ERU size shall be 1050 Width x 450 Depth x 705 Height. The top of ERU shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick Backing Laminate ( BDL).Flat Edge duly sealed with 2 mm thick PVC beading. The Modesty shall be 18 mm thick plain particle board (PPB) Clad with 1.0 mm thick Decorative Laminate (DL) on both sides. Edge sealed with 2 mm thick PVC Beading. Supplying and placing in position HDU of the following specifications. HDU size shall be 1280 Width x 425 Depth x 705 Height.	1	each		
9	Office & reception area	Fabric Office Executive Revolving Chair	Providing and Fixing Office Executive Revolving Chair (Blue) (W)-55cm, (H)-60.0cm & size of seat shall be (W)-51.0cm x (D)-49.0cm. Adjustable Seat Height, Locking Mechanism, Armrest, Swivel, Model Number : 802 Cushion PP, Style: Contemporary & Modern, Frame Material Subtype : PVC, Upholstery Material : Fabric, Upholstery Included : Yes, Upholstery Type : Cushion, Chair Features : Adjustable Seat Height, Locking Mechanism, Armrest, Swivel, Finish Type : High Quality Chair with seat height adjustment, Push back with lock facility, whether resistant PP arms, Cushioned seat and mesh back. Care Instructions : "Gently clean using a damp sponge or soft, lint-free cloth on a regular basis. Use a vacuum cleaner service tool to clean the seams. Keep away metal parts from water. " Ergonomic : Yes, Dimensions Weight : 11 kg-15 kg., Frame Material: Plastic. The work shall be carried out as per the instructions and guidance received from Officer incharge.	3	each		
10	Office	Fabric Office Visitor Chair (Blue)	Providing and Fixing Paradise SGF-2070 Fabric Office Visitor Chair (Blue) Armrest, W x H: 54 mm x 84 mm (2 in x 3 in), Frame Material : Plastic, Upholstery Type : Cushion, Visitor Chair Frame :MS Powdercoated Arms : PU, Upholstery : Fabric, Style : Contemporary & Modern, Suitable For : Study & Home Office, Frame Material Subtype : PVC, Upholstery Material : Fabric, Upholstery Included : Yes, Upholstery Type : Cushion, Chair Features : Armrest, Finish Type : Frame : MS Powdercoated Arms: PU Upholstery : Fabric, Care Instructions : Gently clean using a damp sponge or soft, lint-free cloth on a regular basis. Use a vacuum cleaner service tool to clean the seams. Keep away metal parts from water. Bush Included : No, Bend Direction : Outward, Ergonomic : Yes, Origin of Manufacture : INDIA, Accessories Included : Frame : MS Powdercoated Arms : PU Upholstery : Fabric, Other Features : High Quality, Long Lasting, Comfortable Chair	2	each		
11	Bed Room VIP Suit	BED Custom made	Supplying and FIXing in place of Four Poster Bed of size 1988.8x2121x2100mm to accommodate mattress sized 72"x78" made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. The bed shall have 04 no. legs (70x70x2100mm), side rails 38mm thick 02 nos. (223x38mm), headboard panels 28mm thick 01 no. (100x28mm) & 01 no. (777x28mm), footboard panels 28mm thick 01 no. (100x28mm) & 01 no. (270x28mm), mosquito net rail 04 nos. (50x28mm), wooden support under mattress 1 no. (100x38mm) & 4 nos. (75x28mm), Mattress plywood 12mm thick BWR grade 02 nos. (36x78 inch). The bed shall have 28x20mm wooden battens along all inner surface of headboard/footboard/side rails to support the mattress plywood. The bed headboard /footboard/side rails/plywood supports shall be assembled together with heavy duty M.S. Bed Clamps (dub set) i.e. 06 nos. double bolt bed clamp size 63x38x63mm and 08 nos. single bolt bed clamp size 63x38x38mm fixed with good quality S.S. Screws of 25mm length. All joints to be mortise and Tenon joints. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	3	each		
12	Bed Room VIP Suit	Mattress custom made	Supplying and FIXing King Size Mattress size of 72"x78"x6", constructed using Bonded Foam With combination of HR Foam covered with Premium knitted Fabric. The mattress shall have a combination of 100mm Thick 90 Density Bonded Foam + 50mm thick 32 Density H.R. foam. Both outer sides shall have knited fabric covering with quilting of 12mm thick 28 Density foam.	3	each		
13	Bed Room VIP Suit	Standard and King sizes Pillow with Pillow Cover	Supplying and FIXing Standard Size Goose Down and Feather Pillows (17" x 27"), Best Down pillows are filled with the soft, interior plumage of ducks or geese; they also contain coarser outer feathers for extra padding. Our pick for the Best Down/Feather Pillow is the Luxe Pillow, which features three internal chambers: a central chamber containing waterfowl feathers and two outer chambers with white goose down fill. The pillow is constructed with a 300TC cotton cover and a down and feather insert, which can be removed when the cover needs to be washed. Both the cover and the insert have piped edges to secure the fill and prevent materials from escaping.	6	each		
14	Single Bed Room	White Pillow Highloft	Supplying and FIXing Standard White Pillow Highloft size 18" x 27" ( 45cm x 67.5cm) This classic hollow fiber pillow has been specially designed to be light and fluffy. It is ideal for people who like their pillow to be high and lofty. This great value pillow features a premium cotton top fabric with a non-allergenic hollow fiber polyester filling. Casing: 100% Fine Indian Cotton, Filling:100% Polyester Hollowfiber, Height: High, Softness: Medium	70	each		
15	Bed Room VIP Suit	Custom made	Supplying and FIXing of Bedside Cabinet with 03 Drawers of size 550Lx400Wx600Hmm made out of Second Class Teak Wood having moisture content not more than 14%. The cabinet shall have 03 nos. of drawers for storage running on ball bearing telescopic channels. Cabinet Top in 18mm thick wood (550x400x18mm), legs 04 nos. (50x50mm thick), top (front/side/back) horizontal frame panels 04 nos. (38x28mm), front bottom/partition frame panels 03 nos. (28x28mm), cabinet side panels 02 nos. in 18mm thick wood (484x300x18), cabinet back panel in 12mm thick BWR plywood. Each drawer unit shall have 18mm thick front panel 01 no. in wood (450x132.6x18mm), side/back panel 03 nos. in 18mm thick BWR plywood and drawer base panel 01no. in 12mm thick BWR plywood. All joints to be mortise and Tenon joints. With all necessary hardware i.e. good quality 03 nos. 14" telescopic channel and 03 nos. drawer pull handles as approved. 3 coats of Satin Melamine polish to be done in approved shade all around and top shall be of 1 mm thick laminate. All complete as per drawing & direction of Officer In-charge.	6	each		
16	VIP SUITE/ STUDY TABLE	Custom made study table	Supplying and FIXing in place Study Table with 02 Drawers of size 1000x600x750mm made out of Second Class Teak Wood having moisture content not more than 14%. The study table shall have 02 nos. of drawers for storage running on ball bearing telescopic channels. Study Table top in 18mm thick plywood (1000x600x18mm) with teak wood beading on all edges and 1 mm laminate pasting with good quality adhesive "Fevicol S.R." or equivalent , Legs 04 nos. (50x50mm thick), top front horizontal frame panels 01 no. (60x28mm), Side panels 02 nos. in 18mm thick wood (440x238x18mm). It shall have 03nos. leg support frame panel i.e. 01 no. in 28mm thick wood (40x28mm) connecting both back legs and 01 nos. connecting both front & back legs on each side. Each drawer unit shall have 18mm thick front panel 01 no. in wood (280x110x18mm), side/back panels 03 nos. in 18mm thick BWR plywood and drawer base panel 01 no. in 12mm thick BWR plywood. Drawer compartment back shall be made in 12mm thick BWR plywood (280x220mm) and drawer compartment side shall be made in 18mm thick wood. All joints to be mortise and Tenon joints. With all necessary hardware i.e. good quality 02 nos. 18" telescopic channels and 02 nos. drawer pull handles as approved. 3 coats of Satin Melamine polish to be done in approved shade all around and top shall be of 1 mm thick laminate. All complete as per drawing & direction of Officer In-charge.	3	each		




S.no.	Room	Item Name	Item Description	Qty	Unit	Rate (INR)	Amount (INR)
17	Single Bed Room & VIP SUITE/ Dormitory-1	Custom made study Chair	Supplying and Fixing of Chair 450x500x1000 mm made out of Second Class Teak Wood having moisture content not more than 14%. Chair front legs 02 nos. (50x50mm), back legs 02 nos. (40x35mm) tapered at an angle of 95 degree from the seat wood panel. Seat bottom frame panel front/back/side 04 nos. in 28mm thick wood (60x28mm). Side Leg support panels 02 nos. in 28mm thick wood (30x28mm). Chair back shall have top/middle panels in 30mm thick wood i.e. 01no. (30x30mm) & 02 nos. (40x30mm). Seat shall have 50mm thick 32 density foam pasted on 12mm BWR plywood covered with good quality fabric/Rexene. Front side of back rest shall have 8mm thick BWR plywood with 25mm thick 32 density foam pasting covered with fabric/Rexene and back side of back rest shall have 6mm thick BWR plywood with 12mm thick 28 density foam pasting covered with fabric/Rexene. Foam to be pasted with good quality adhesive "Fevicol S.R." or equivalent. Good quality fabric/Rexene in approved shade to be used. All joints to be mortise and Tenon joints. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	36	each		
18	Dining Hall - table	TABEL Custom made	Supplying & Fixing in position Dining Table of size 1370 x 900 x 750 mm. Top made with 16-18mm thick Black Garenite with 30mm moulding around and properly fixed main frame by adseive and screw. Table Legs, frames, and support shall be made in Second Class Teak Wood. Legs 90x90mm, Side Horizontal Frames 90x38mm and 03 nos. of support 60x28mm under the top. With all necessary hardware for knock-down and assembly. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	9	each		
19	Dining Hall - CHAIR	Custom made	Supplying and Fixing of Chair 450x500x1000 mm made out of Second Class Teak Wood having moisture content not more than 14%. Chair front legs 02 nos. (50x50mm), back legs 02 nos. (40x35mm) tapered at an angle of 95 degree from the seat wood panel. Seat bottom frame panel front/back/side 04 nos. in 28mm thick wood (60x28mm). Side Leg support panels 02 nos. in 28mm thick wood (30x28mm). Chair back shall have top/middle panels in 30mm thick wood i.e. 01no. (30x30mm) & 02 nos. (40x30mm). Seat shall have 50mm thick 32 density foam pasted on 12mm BWR plywood covered with good quality fabric/Rexene. Front side of back rest shall have 8mm thick BWR plywood with 25mm thick 32 density foam pasting covered with fabric/Rexene and back side of back rest shall have 6mm thick BWR plywood with 12mm thick 28 density foam pasting covered with fabric/Rexene. Foam to be pasted with good quality adhesive "Fevicol S.R." or equivalent. Good quality fabric/Rexene in approved shade to be used. All joints to be mortise and Tenon joints. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	36	each		
20	Conference Room - Table	Custom made table	Supply and Fixing of 22 seater horse-shoe shaped conference table provided with veneered top, back, front & sides pasted over block board. Minimum seating space for 2 person should not be less than 1380(W) X 750(D) X 750(H)mm. Top :- 750mm wide top made out of 38mm (19mm + 19mm) thick commercial board (Century/Green Lam) covered with 4 mm thick cedar wood veneered plywood with wood beading on all edges. Double raceway with Pelmet for wiring purpose with flip-top opening to access cable trays below containing wires in matching veneer finish. Full height vertical front/ back/sides made out of 18mm thick commercial board Century/Green-Lam covered with 4 mm thick cedar wood veneered plywood in approved pattern making decorative modesty panel. All complete as per drawing & direction of Officer In-charge.	1	of 22 seater		
21	Conference Room - Chair	Conference Revolving Chair	Supply and Fixing Conference Revolving Chair. The seat shall be made up of 1.2+/-0.1cm thick hot pressed plywood and upholstered with fabric or synthetic leather and moulded polyurethane foam. The back shall be made up 1.2+/-0.1cm thick hot pressed plywood upholstered with replaceable fabric or synthetic leather upholstery covers and moulded polyurethane foam. The moulded polyurethane foam shall be of density 45+/-2kg/m <sup>3</sup> , and hardness load 16+/-2kgf for 25% compression. The dimensions of seat shall be - 51.0cm(W) x 48.0cm(D) and of back shall be 48.0cm(W) x 64.5cm(H). The armrest top shall be made of moulded polyurethane and mounted on to a fixed type M.S tubular armrest support chrome plated. The Arm support has static vertical adjustment of +/-1.5+/-0.05cm. The mechanism of the chair shall have following features : 360° revolving type, Front pivot synchro mechanism, Tilt tension adjustment, Single point control, 4 position locking with anti shock feature, Seat/Back tilting ratio of 1:2. The backrest shall consist of a fixed type mechanism i.e no back up/down adjustment. The chair shall be provided with pneumatic height adjustment which shall have stroke of 9.0 +/- 0.3 cm. The pedestal shall be fabricated from 0.2+/-0.02cm thick HR sheet, chrome plated and assembled with injection moulded black polypropylene hub cap. The size of the pedestal shall be 66.0+/- 0.5 cm pitch-centre-dia (76.0 +/- 1.0 cm with castors). The twin wheel castors shall be made black nylon. Overall dimensions of Chair shall be, Width of Chair - 76.0cm, Depth of Chair - 76.0cm as measured from pedestal below. Height from ground - min 91.0 to max 100.0cm. Seat height - min 46.0 to max 55.0cm. Dimensions tolerance / variations shall be within +/- 1 cm. All complete as per drawing & direction of Officer In-charge.	30	each		
22	Storage -Reception & office	Storgae unit	Supplying and Placing Big Almirah. shall have an overall size of 916mm(W)x486mm(D)x1980mm(H) with welded construction. It should have the shelf thickness of 0.7 mm, Back thickness of 0.8mm, Door thickness of 0.8mm (high yield strength) and all other components shall have a thickness of 0.9mm. These components shall be made of CRCA "D" grade high yield strength. The Amirah should have a Mazak handle and Three way locking mechanism with Shooting Bolts. It should have a height wise adjustable shelf mounting which shall have a Uniformly Distributed Load Capacity of max 40 Kg. It should also have a M10 Screw type Leveller with Hex plastic base. The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10). Plenty of colour options and shelving options shall be available.	3	each		
23	Single Bed Room & VIP suit living room	Coffee chair - Custom made	Supplying & Placing in position Coffee Chair made up of Second class teak Wood. Overall Size of chair shall be 650 Width x700 Depth x Height 900mm. Front legs 50x28mm, back legs 45x28mm, arm rest 70x28mm, Seat bottom frames (front/side/back) 80x28mm & back top horizontal curved frame 110x28mm in wood. Clear seating Area Length-550mm. Clear Seating Area depth- 550mm. Seating Height from Ground- 460mm. Arm rest Height from Ground-690mm. STITCHING shall be done by Nylon thread. SEAT FOAM Thickness (mm) shall be 125mm which is a mixture as 25mm 32 Density Supersoft + 100mm 32 Density. IT shall be Slabstock foam. Armrest inner side shall be 8mm plywood pasted with 25mm thick 32 density foam and armrest outer side shall be 6mm plywood pasted with 12mm thick 32 density foam, both covered with fabric/leatherette. Backrest inner side shall be 8mm plywood pasted with 75mm thick 32 density foam (which is a mixture of 25mm 32 Density Supersoft + 50mm 32 Density foam) and backrest outer side shall be 6mm plywood pasted with 12mm thick 32 density foam, both covered with fabric/leatherette. Standard of Plywood used shall be Standard : IS 303 Commercial Plywood. The chair seat shall have 03 nos. of S- Springs running across front to back and 03 nos. of elastic band (niwar) running across the length. Chair to be covered with good quality fabric/leatherette of approved shade. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	70	each		
24	Single Bed Room	Coffee Centre Table -Custom made	Supplying and Fixing Coffee Centre Table of size 700 mm dia. x 450mm height made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. Top, Legs & supporting structure made up of red sheesham wood. Top 700 dia. x 28mm thick, legs 04 nos. (80mm dia x 422mm height with turning ), top support horizontal frame panel 04 nos. (80mmx28mm curved ), Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per Drawing & direction of Officer In-charge.	32	each		

S.no.	Room	Item Name	Item Description	Qty	Unit	Rate (INR)	Amount (INR)
25	VIP suit living room	Coffee Centre Table -Custom made	Supplying and Fixing Coffee Centre Table of size 700 mm dia. x 450mm height made out of Second class Teak wood having moisture content not more than 14%. Top, Legs, Shelf & supporting structure made up of red sheesham wood. Top 01 no. (700 dia. x 28mm thick), shelf 01 no. (600dia x 18mm thick), legs 04 nos. (422mm height x 80x80mm curved), top support horizontal frame panel 04 nos. (80mmx28mm curved). Mortise and Tenon joints on leg and frame panels. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per Drawing & direction of Officer In-charge.	3	each		
26	Single Bed Room & dormitory	TV Cabinet - custom made	Supplying & Placing in position TV Wall Panel size 1500Length x 1200Height x100Depth mm made out of 18mm BWR grade Blockboard with 1mm laminate pasting on front & side panels of approved shade. 02 coats of enamel paint on the back/wall side of the panel. It shall have 01 storage shelf of 250mm depth on the bottom with 180mm internal height of storage compartment. Fixing on wall with necessary hardware and providing holes & cutouts to accommodate switch, socket and wiring internally. All complete as per drawing & direction of Officer In-charge.	33	each		
27	VIP suit living room	TV Cabinet - custom made	Supplying & Placing in position TV Wall Panel size 1800Length x 1200Height x100Depth mm made out of 18mm BWR grade Blockboard with 1mm laminate pasting on front & side panels of approved shade. 02 coats of enamel paint on the back/wall side of the panel. It shall have 01 storage shelf of 250mm depth on the bottom with 180mm internal height of storage compartment. Fixing on wall with necessary hardware and providing holes & cutouts to accommodate switch, socket and wiring internally. All complete as per drawing & direction of Officer In-charge.	3	each		
28	Dining Hall	Crockery case	Providing and fixing in position for crockery case of made of internal framework, shelves, drawers, layon slides partitions and shutters with 19 mm thick prelaminated block board of BWR Grade, Decorative Type (BWP-DEC) of approved quality or equivalent stamped with IS-1659: 2004 (latest Edition) and prelamination should conform to IS-2046:1995 (latest Edition) including piano type hinges (19x25mm), best quality teak wood lipping around the shutter edges, magnetic ball catchers, brass tower bolt, knobs,handles with SS roses 150 mm x 19 mm dia (Ref. Make - Dorset, Dorma, Godrej or equivalent), spirit polishing/ enamel painting on lipping in required shade matching to the laminate etc. complete in all respects inclusive of cost of all labour, materials, tools, tackles etc. as per drawings, specifications and direction of Site Officer (measurement of cupboard shall be taken as front elevation area of shutters only for payment). Vender to submit the Shop Drawing as per side condition.	20	Sqm		
29.1	VIP suit living room, Single Bed Room & dormitory	Wardrobe	Providing and fixing wooden Wardrobe up to 24" deep made up of 18mm thick marine (B.W.R) ply on all sides with 6mm thick ply for rear. Including Shutters with designer Laminates of minimum two designs or more of minimum 1mm thick. the Back of door shutter shall be of 1mm white Laminate. Note: For Shutters only block bord with pine wood shall be used for doors of Wardrobe. Shelves to be provided are of 12mm thick commercial ply as per appd drawing. All internal surfaces are to be laminated with 1.0 mm thick lamination sheet of approved make and colour and external sides to be laminated with 1mm lamination sheet of approved make and colour with wooden beadings for the edges as per the instructions of the site incharge including providing all necessary Hardware such as brass hinges, MS Heay duty powder coated telescopic channels, 20mm dia SS rail for cloth hangers, towerbolts, locks, magnetic locks, handles, rollers etc. complete as per direction of Officer-in-charge (Measurement of front elevation shall be considered for making payment).	64	Sqm		
29.2	VIP suit living room	Wardrobe	Providing and fixing wooden Wardrobe up to 24" deep made up of 18mm thick marine (B.W.R) ply on all sides with 6mm thick ply for rear. Including Shutters with teak/ sheesham veneer of minimum 0.45 mm thick pasted with ply and board, the Back of door shutter shall be of 1 mm thick laminate of matching shade all including 3 coats of melamine polishing on veneer to a matching shade. Note: For Shutters only block bord with pine wood shall be used for doors of Wardrobe. Shelves to be provided are of 12mm thick commercial ply as per appd drawing. All internal surfaces are to be laminated with 1.0 mm thick lamination sheet of approved make and colour and external sides to be laminated with 1mm lamination sheet of approved make and colour with wooden beadings for the edges as per the instructions of the site incharge including providing all necessary Hardware such as brass hinges, MS Heay duty powder coated telescopic channels, 20mm dia SS rail for cloth hangers, towerbolts, locks, magnetic locks, handles, rollers etc. complete as per direction of officer-in-charge (Measurement of front elevation shall be considered for making payment).	22	Sqm		
30	Single Bed Room & Dormitory	Single bed- custom made	Providing and fixing of Cot of Size 1945 mmx 955 mmx 482 mm (Length x breadth x height) made out of seasoned kiln dry and chemically treated Red Sheesham Wood framing with moisture content as per IS: 287:1993 and permissible sap wood content composite fitted with 18 mm thick Boiling Water Resistant Solid block board on top, edges lipped with 20mm x 50 mm Sheesham wood lipping all around and satine melamine finish polishing all wood surface and 18 BWR Ply wood single coat priming and 2 coat of synthetic enamel paint of reputed make as per relevant IS Code on underside of bed on block board with appropriate fillers to get neat and smooth finish paint as per CPWD's specification and desired thickness and framing with hardware and fixing arrangement as per drawing and sketch enclosed including 10 mm wide groove on periphery of Bed Cot in main panel of Sheesham wood under the leaping. All four side Leg top side & panel member (vertical to horizontal) should be fixed with ISA 45mm x 45mm x 5mm fitted with 19mm SS Screw. All outside 4no. main panel (95mm x 30mm) should be fixed with Bed clamp of SS 50mm/35mmX50X1 mm thick with 19mm SS Screw (Horizontal to horizontal) with 4no. Legs of size 95mmx 95mmx 432 mm as per sketch No. 1/31. All internal members to be fixed withSS 50mm/35mmX50X1 mm fitting 19mm SS Screw) to long panel all periphery leaping to be fixed with with superior quality adhesive compound "Fevicol" or equivalent and SS screw. All complete as per direction of Officer In-charge. Note: Self driving screws shall be considered of adequate size in place of SS screw.	70	Each		
31	Single Bed Room	Single bed size mattress	Supply and Placing of " Bed Mattress" of Size 75 x 36 x 3 inch a 70-80 density with 2" BIS certified, rubberized coir, Coir Pad with 25% Dry Rubber, Content 23 density 1" PU Foam on top, One side 7 mm thick quilting of density, 18 kilogram/ cubic meter, Poly Rotto fabric of Maroon colour. All complete as per direction of Officer In-charge	70	Each		
32	Dormitory	Head Rest- Dormitory -- Custom Made	Supplying and Fixing of Headrest of size 955x450x68mm to be made with 50mm PU foam, 8mm BWR plywood & 18mm BWR Block board panels pasted with 50mm 40 +/- 2 kg/ cubic meter and covered with 1 mm thick good quality Rexine shall be fixed on 18mm BWR block board. 18mm BWR block board shall have 18x10mm second class teak wood leaping with 03 coats of melamine polish on all edges. Foam to be pasted with good quality adhesive "Fevicol S.R." or equivalent. Good quality Rexene all around on front side of head rest with wall side of block board painted with 1 coat of wood primer & 2 coats of Synthetic enamel paint. Head-rest fitting & fixing on wall with good Quality (SI made) S.S. Screw 3.5mm dia. x 40mm length and suitable hardware. Wooden leaping all around. Board top to be pasted with good quality adhesive "Fevicol" The Head-rest fittings, wall clamp & SS screw to be provided as per Drawing. Paints to be applied with priming coat after due process of filing and filling with approved fillers to get a neat and smooth finish paint. All complete as per drawing & direction of Officer In-charge	6	Each		


S.no.	Room	Item Name	Item Description	Qty	Unit	Rate (INR)	Amount (INR)
33	Single Bed Room	Head Rest--- Custom Made	Supplying and Fixing of Headrest of size 2580x450x68mm to be made with 50mm PU foam, 8mm BWR plywood & 18mm BWR Block board panels pasted with 50mm 40 +/- 2 kg/ cubic meter and covered with 1 mm thick good quality Rexine shall be fixed on 18mm BWR block board. 18mm BWR block board shall have 18x10mm second class oak wood leaping with 03 coats of melamine polish on all edges. Foam to be pasted with good quality adhesive "Fevicol S.R." or equivalent. Good quality Rexine all around on front side of head rest with wall side of block board painted with 1 coat of wood primer & 2 coats of Synthetic enamel paint. Head-rest fitting & fixing on wall with good Quality (ISI made) S.S. Screw 3.5mm dia. x 40mm length and suitable hardware. Wooden leaping all around. Board top to be pasted with good quality adhesive "Fevicol" The Head-rest fittings, wall clamp & SS screw to be provided as per Drawing.. Paints to be applied with priming coat after due process of filing and filling with approved fillers to get a neat and smooth finish paint. All complete as per drawing & direction of Officer In-charge	32	Each		
34	Single Bed Room	side table Custom Made	Supplying and Placing Bedside Cabinet with 01 Drawer and open storage. Cabinet Size 450Lx400Wx500H mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. The cabinet shall have 01 no. of drawer for storage running on ball bearing telescopic channels. Cabinet Top with 1mm laminate of approved shade pasted on 18mm BWR grade Block board with 18x10mm beading on all edges (450x400x18mm), legs 04 nos. (38x38mm thick), top (front/side/back) horizontal frame panels 04 nos. (38x28mm), front/back bottom frame panels 02 nos. (38x28mm), cabinet side panels 02 nos. in 18mm thick red sheesham wood (405x324x18mm), cabinet back panel in 12mm thick BWR plywood. Open storage base shall be in 18mm thick wood. The drawer unit shall have 18mm thick front panel 01 no. in wood (374x130x18mm), drawer side/back panel 03 nos. in 18mm thick BWR plywood and drawer base panel 01 no. in 12mm thick BWR plywood. All joints to be mortise and Tenon joints. With all necessary hardware i.e. good quality 01 no. 14" telescopic channel and 01 no. drawer pull handles as approved. 3 coats of Satin Melamine polish to be done in approved shade all around and top shall be of 1 mm thick laminate. All complete as per drawing & direction of Officer In-charge	32	Each		
35	Single Bed Room & VIP Suit & diuble bed rooms	Study Table Custom Made	Supplying and Placing Study Table with 01 Drawer. Size 900Lx550Wx750H mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. The study table shall have 01 no. of drawer for storage running on ball bearing telescopic channels. Top (900x550x18mm) with 1mm laminate of approved shade pasted on 18mm BWR grade Block board with 18x10mm beading on all edges, legs 04 nos. (60x28mm thick), top (front/side/back) horizontal frame panels 04 nos. (38x28mm), table side panels 02 nos. in 18mm thick red sheesham wood (544x87x18mm), table back panel in 18mm thick wood. The drawer unit shall have 18mm thick front panel 01 no. in wood (780x85x18mm), drawer side/back panel 03 nos. in 18mm thick BWR plywood and drawer base panel 01 no. in 12mm thick BWR plywood. All joints to be mortise and Tenon joints. With all necessary hardware i.e. good quality 01 no. 14" telescopic channel and 01 no. drawer pull handles as approved. 3 coats of Satin Melamine polish to be done in approved shade all around and top shall be of 1 mm thick laminate. All complete as per drawing & direction of Officer In-charge.	33	Each		
36	CUPBOARDS In all rooms	MIRROR custom made	Supplying & Placing in position Mirror With Wooden Frame size 1700x650x28mm made out of Red Sheesham Wood containing sapwood not more than 10% and having moisture content not more than 14%. It shall have 02 nos. 28mm thick vertical wooden panels of size 1700x80x28mm & 02 nos. 28mm thick horizontal wooden panels of size 508x80x28mm. The wood panels shall have 12mm thick rebate to accommodate 4mm thick Mirror + 8mm thick plywood. The wooden frame shall have 4mm thick mirror of good quality and 8mm thick BWR grade plywood backing. Fixing on wall with necessary hardware. All joints to be mortise and Tenon joints. 3 coats of Satin Melamine polish to be done in approved shade. All complete as per drawing & direction of Officer In-charge.	40	Each		
37	ENTRANCE LOBBY	RECEPETION TABLE -CUSTOM MADE	Providing Reception table along with Feature Wall. Reception table of size 2.00 M x1 .80 M and height of 750/1050 mm (As per approved Drawing) made of 18 mm thick BWP Grade block board for table top, vertical sides and modesty panel. The table shall have 02 nos. of top i.e. first (600mm wide) at 750mm height and second (250mm wide) at 1050mm height. All outside surfaces of board shall be finished with 4mm thick plywood pasted with .45mm veneer of approved shade. All inside surfaces finished with 1.0 mm thick decorative laminate of approved colour. The table shall also have 01 no 450mm wide storage compartment made of 18mm thick marine plywood pasted with 1mm thick laminate inside and outside. The sotage compartment shall have 01 no. drawer of depth 125mm on telescopic channel and rest shutter. All exposed edges lipped with oak wood beading. The feature wall shall be 2.00 M wide and height as per site and made with 18mm thick BWP grade block board finished with 4mm thick plywood pasted with .45mm veneer of approved shade. The entire unit to be complete with all accessories such as knobs handles lock and key arrangements of approved quality. All veneered surface and oak wood beadings to be finished with 3 coats of Satin Melamine polish approved shade. All Complete as per Direction Of Officer-in- Charge	1	Each		
38	VIP SUIT, LIVING AREA, CONFERENCE ROOM, DINING HALL AND WAITING AREA	WALL PANNELING	Providing wall panneling using 12mm thk marine ply with 0.45 mm thick Teak/ sheesham veneer pasted with adhesive including 3 coats of melamine polish, all allied hardware, beedings, making grooves, side leaping and fittings as approved by Engineer-In-Charge. Note: Shop drawings to be got approved prior to procurement planning.	204	Sqm		
39	MULTIPURPOSE HALL	COUSHIONED COMFORT CHAIR WITH DESKLET	Providing fixing Chairs in which the seat assembly should be made of polyurethane foam moulded with Mild Steel tubular frame insert which should be upholstered with fabric. The insert should be tubular frame made of Dia. 1.9+/-0.02cm x 0.16+/- 0.013cm thk MS ERW (Mild Steel, Electric Resistance Welded) round tube with flexible support straps running across the length and width of the frame. The Seat has an auto-tipup feature making it stay in upright position when not in use enabling clear row passage. Approx. Seat Size : 45.5cm (W) x 46.5cm (D). The back assembly should be made of polyurethane foam moulded with Mild Steel tubular frame insert, upholstered with fabric and has aplastic back cover. The insert should be a tubular frame made of Dia. 1.9+/-0.02cm x 0.16+/-0.013cm thk MS ERW (Mild Steel, Electric Resistance Welded) round tube with flexible support straps running across the length and width of the frame. Approx. Back Size : 45.5cm (W) x 70.4cm (H). The High Resiliance polyurethane foam should be moulded with density = 45 +/-3 kg/m3. The Chair rests on the ground on two side panel frames fabricated from 0.12+/-0.020cm thk CR Steel sheet which should be clad with fabric upholstery. The side panel frame should be grouted to the floor using 2 nos. of anchors for each panel through 0.3+/-0.05cm thk Hot Rolled Steel. The Synchro-slide mechanism should be designed using heavy duty slides aiding inn relaxed posture. The slider should be connected to back using linkages to achieve synchronous motion between seat & back. The Synchro-slide has an stroke of 60+/-5 mm and should be mounted on the side panel. The armrest should be made up of solid beech wood with clear lacquer coat. The armrest should be fitted with side panel through concealed zinc plated hinge. The desklet should be made of 1.8 +/- 0.05cm thick prelaminated particleboard with in suit injection moulded polypropylene edgig all around. Desklet Top should be mounted on high pressure die-cast aluminium Arm through metal bracket 0.2+/-0.05cm thk.H.R. steel. The assembly should be mounted on side panel through Desklet arm connector made up of Glass filled nylon (PA +30%GF). Desklet Outer Dimension: 20.8+/-0.1cm W x 30.2+/-0.1cm D. Steel components shall be epoxy polyester powder coated (DFT 40 60 microns).	140	each		
<b>SUB TOTAL (A)</b>							



25/10/2020  
 A.K. Singh



GENERAL NOTES:		REVISION HISTORY		PROJECT		PROJECT MANAGEMENT CONSULTANT:		CONSULTING ARCHITECT:		TENDER STAGE:	
ORIGINAL SHEET SIZE A1  Scale: As per reference. © INTELLECTUAL PROPERTY OF DDF CONSULTANTS PRIVATE LTD. DO NOT MAKE COPIES OR ALTER WITHOUT EXPRESS PERMISSION.	1. ALL DIMENSIONS ARE IN MILLIMETERS (MM). 2. DO NOT SCALE THE DRAWING. 3. REFER TO OTHER DRAWINGS WHERE CROSS DIMENSIONS SHALL BE ZERO IN CONNECTION WITH ALL RELAYING, STRUCTURAL, E&M SERVICES. 4. FOR CLARIFICATION / DISCREPANCIES IN CASE A TECHNICAL ISSUE TO ANY PART OF THE DRAWING, YOU HAVE TO REFER TO DRAWING NO. THAT YOU HAVE LATEST REVISION.	NO. DATE DESCRIPTION	DIALOQ <input type="checkbox"/> R.K. SINGH <input type="checkbox"/> ASHOK KUMAR <input type="checkbox"/> HEMANATH <input type="checkbox"/> SHEKHAR <input type="checkbox"/> DEBBI <input type="checkbox"/> DEBANA <input type="checkbox"/> DEBANA	Project: CENTRAL UNIVERSITY OF BIHAR TEKARI ROAD, PANCHANIPUR GAYA, BIHAR	Project Management Consultant: DDF CONSULTANTS Private Limited At 50 - 600 : 2000 CERTIFIED COMPANY MOHA SARANI, P.O. : 700001, GATE NO. 08/09 WWW.DDFCONSULTANTS.COM	Consulting Architect: DDF CONSULTANTS Private Limited At 50 - 600 : 2000 CERTIFIED COMPANY MOHA SARANI, P.O. : 700001, GATE NO. 08/09 WWW.DDFCONSULTANTS.COM	Drawing Title: SECOND FLOOR PLAN GUEST HOUSE	Drawing No.: CUBYG-DDF-B09-ARC-PLN-1503	Rev.: D1		




*AS per 25/10/2019*

GROUND FLOOR


ORIGINAL SHEET SIZE A1	GENERAL NOTES: 1. DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED. 2. DO NOT SCALE THE DRAWING. 3. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED. 4. ALL DIMENSIONS SHALL BE READ IN CONJUNCTION WITH THE DIMENSION LINES AND DIMENSION VALUES. 5. FOR CLARIFICATION / DISCREPANCIES REFER TO THE DRAWING AND/OR PROJECT MANUAL REGISTER TO ENSURE THAT YOU HAVE LATEST REVISION. Scalebars for reference: © INTELLECTUAL PROPERTY OF DDF CONSULTANTS PRIVATE LTD. DO NOT MAKE COPIES OR ALTER WITHOUT EXPRESS PERMISSION	REVISION HISTORY	DATE	DESCRIPTION	DATE	BY	CHK	APP	
Project Management Consultant:		Project:		Project:		Project:		Project:	
Consulting Architect:		Project:		Project:		Project:		Project:	
DDF CONSULTANTS Private Limited At 501 - 5011, 2000, CERTIFIED COMPANY MEMBER REGISTERED IN THE STATE OF BIHAR REG. NO. 12/2019-2020		CENTRAL UNIVERSITY OF BIHAR TEKARI ROAD, PANCHANPUR GAYA, BIHAR		CENTRAL UNIVERSITY OF BIHAR TEKARI ROAD, PANCHANPUR GAYA, BIHAR		CENTRAL UNIVERSITY OF BIHAR TEKARI ROAD, PANCHANPUR GAYA, BIHAR		CENTRAL UNIVERSITY OF BIHAR TEKARI ROAD, PANCHANPUR GAYA, BIHAR	
TENDER STAGE		DRAWING TITLE		DRAWING NO.		DRAWING DATE		DRAWING SCALE	
		GROUND FLOOR PLAN FURNITURE PLAN GUEST HOUSE		DDF-001-2000-0000-0000		25/10/2019		D1	

*Handwritten signature and date: 25/10/2019*




FIRST FLOOR

ORIGINAL SHEET SIZE A1	GENERAL NOTES: 1. THIS DRAWING IS FOR REFERENCE ONLY. 2. DO NOT SCALE THE DRAWING. 3. REFER TO OTHER DRAWINGS WHERE CROSS SECTIONS ARE SHOWN. 4. ALL DIMENSIONS SHALL BE GIVEN IN COMPLETION UNLESS OTHERWISE SPECIFIED. 5. FOR CLARIFICATION / DISCREPANCIES MAKE A CHECK WITH THE ARCHITECT. 6. REFER TO THE ARCHITECT'S REGISTER TO ENSURE THAT YOU HAVE LATEST INFORMATION.	REVISION HISTORY <table border="1"> <thead> <tr> <th>NO.</th> <th>DATE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td>01</td> <td>11-08-17</td> <td>ISSUED AT SITE</td> </tr> <tr> <td>02</td> <td>12-07-17</td> <td>SHEETS ADDED AS MARKED</td> </tr> <tr> <td></td> <td></td> <td>DESIGNED</td> </tr> <tr> <td></td> <td></td> <td>CHECKED</td> </tr> <tr> <td></td> <td></td> <td>SCALE</td> </tr> <tr> <td></td> <td></td> <td>DESK</td> </tr> <tr> <td></td> <td></td> <td>DRAWN</td> </tr> </tbody> </table>	NO.	DATE	DESCRIPTION	01	11-08-17	ISSUED AT SITE	02	12-07-17	SHEETS ADDED AS MARKED			DESIGNED			CHECKED			SCALE			DESK			DRAWN	Project: CENTRAL UNIVERSITY OF BIHAR TEKARI ROAD, PANCHANPUR GAYA, BIHAR	Project Management Consultant: DDF CONSULTANTS Private Limited AN ISO - 9001:2000 CERTIFIED COMPANY MOHA ROAD, P.O. - 847001, GAYA, BIHAR TEL: 0641-2532000 FAX: 0641-2532000 WWW.DDFCONSULTANTS.COM	Consulting Architect: DDF CONSULTANTS Private Limited AN ISO - 9001:2000 CERTIFIED COMPANY MOHA ROAD, P.O. - 847001, GAYA, BIHAR TEL: 0641-2532000 FAX: 0641-2532000 WWW.DDFCONSULTANTS.COM	TENDER STAGE DRAWING TITLE: FIRST FLOOR PLAN GUEST HOUSE	DRAWING NO: CUBYG-DDF-B09-ARC-PLN-1502 REV. D1
			NO.	DATE	DESCRIPTION																										
01	11-08-17	ISSUED AT SITE																													
02	12-07-17	SHEETS ADDED AS MARKED																													
		DESIGNED																													
		CHECKED																													
		SCALE																													
		DESK																													
		DRAWN																													
Scale: for reference. © PROPRIETARY PROPERTY OF DDF CONSULTANTS PRIVATE LTD. DO NOT MAKE COPIES OR ALTER WITHOUT EXPRESS PERMISSION.																															



DOOR ELEVATION  
CROCKERY CASE



INTERNAL ELEVATION  
CROCKERY CASE



Sketch/DRG. No. 1/28

Shahin't Singh  
25/02/2019  
JE (CIVIL-2)



page 40 of 44



Sketch/Drg. no. 2/28




Shatrughn Singh  
25/02/2019  
JE (CIVIL-2)



Sketch/Dwg. No. 1/29




Shatrughn Singh  
25/02/2019  
JEC CIVIL-2



TYPICAL SECTION B-B

Shatrughn Singh  
25/02/2019  
JE (CIVIL-2)

Dwg. no. 2/29



Sketch / Proj. No - 1/31  
 Shatrynit Singh  
 25/02/2015  
 JEC (CIVIL-2) Page 44 of 44